

## 000-252 IBM certifications III

### IBM test 252,ibm websphere apervr v6 netwrk deploymnt.core admin

**Practice Exam:** 000-252 Exams

**Exam Number/Code:** 000-252

**Exam Name:** test 252,ibm websphere apervr v6 netwrk deploymnt.core admin

**Questions and Answers:** 108 Q&As

( [IBM certifications III](#) )



Exam : [000-252](#)

"test 252,ibm websphere apervr v6 netwrk deploymnt.core admin", also known as 000-252 exam, is a IBM certification. With the complete collection of questions and answers, TestInside has assembled to take you through 108 Q&As to your 000-252 Exam preparation. In the 000-252 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Quality and Value for the 000-252 Exam TestInside Practice Exams for IBM **IBM certifications III** Certification 000-252 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

#### **TestInside provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-252 Exam.

000-252 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IBM certifications III product experts, included the current newest 000-252 examination questions.

3. 100% Guarantee to Pass Your IBM certifications III exam and get your IBM certifications III Certification.

If you do not pass the IBM Certification 000-252 exam (test 252,ibm websphere apervr v6 netwrk deploymnt.core admin) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

#### **use TestInside 000-252 Q&A ensure you pass the exam at your first try.**

TestInside professional provide IBM certifications III 000-252 the newest Q&A, completely covers 000-252 test original topic. With our complete IBM certifications III resources, you will minimize your IBM certifications III cost and be ready to pass your 000-252 tests on Your First Try, 100% Money Back Guarantee included!

[IBM 000-252](#) Test belongs to one of the IBM certifications III certified test, if needs to obtain the IBM certifications III certificate, you also need to participate in other related test, the details you may visit the [IBM certifications III](#) certified topic, in there, you will see all related IBM certifications III certified subject of examination.

#### **TestInside Testing Engine Features**

Comprehensive questions and answers about 000-252 exam

000-252 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-252 exam questions updated on regular basis

Same type as the certification exams, 000-252 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-252 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo does not include the question's picture.

Exam : IBM 000-252

Title : Test 252, IBM Websphere Apervr v6 Netwrk Deployment.core Admin

1. While testing the HTTP Session affinity behavior of a WebSphere cluster, the system administrator noticed that there were two versions of the plugin-cfg.xml file used: Version #1: plugin-cfg.xml <ServerCluster Name="abcCluster"> <Server ClonelD="abcdefgh" LoadBalanceWeight="2" Name="ServerA"> Version #2: plugin-cfg.xml <ServerCluster Name="abcCluster"> <Server LoadBalanceWeight="2" Name="ServerA"> What would be the expected behavioral differences between the two versions of the WebSphere plugin configuration file in terms of honoring HTTP session affinity?

- A. Version #1 supports HTTP Session affinity
- B. Version #1 and Version #2 both support session affinity
- C. Version #2 supports HTTP session affinity
- D. Version #1 and Version #2 do not support HTTP session affinity

Answer: A

2. A system administrator notices that an application server (with servlets and EJBs) is receiving IIOP requests, but not any HTTP requests. Which of the following log file(s) should be checked?

- A. SystemOut.log and SystemErr.log
- B. startServer.log
- C. activity.log
- D. HTTP\_plugin.log and native\_stdout.log

Answer: D

3. A system administrator wants to ensure that nodes with different hardware resources participate in a cluster as efficiently as possible. Which of the following should be used to BEST meet this goal?

- A. A load balancer to evenly distribute requests to cluster members
- B. A fine grain application update with capabilities to tune cluster member applications to the hardware
- C. Weighted definitions for cluster members
- D. Identical application components for all cluster members

Answer: C

4. Sometimes it is required to force an application to create a thread dump (or javacore). Which of the following processes would be used to force a thread dump?

A. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*] Generate the thread dump: ----- wsadmin> \$AdminControl  
invoke \$jvm dumpAllThreads Look for an output file in the installation root directory with a name like  
javacore.date.time.id.txt.

B. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*] Generate the thread dump: ----- wsadmin> \$AdminControl  
invoke \$jvm dumpAppServerThreads Look for an output file in the installation root directory with a name like  
javacore.date.time.id.txt.

- C. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- Look for an output file in the installation root directory with a name like  
javacore.date.time.id.txt.
- D. Using the wsadmin command prompt, get a handle to the problem application server:
- E. Using the wsadmin command prompt, get a handle to the problem application server: javacore.date.time.id.txt.
- F. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
javacore.date.time.id.txt.
- G. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName
- H. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*]
- I. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*] ----- wsadmin>set jvm  
[\$AdminControl completeObjectName type=JVM,process=server1,\*] Generate the thread dump: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*] Generate the thread dump: wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*] Generate the thread dump: ----- wsadmin>set jvm  
[\$AdminControl completeObjectName type=JVM,process=server1,\*] Generate the thread dump: -----  
---- wsadmin>set jvm [\$AdminControl completeObjectName type=JVM,process=server1,\*] Generate the thread  
dump: ----- wsadmin>\$AdminControl invoke \$jvm dumpJVMThreads.  
type=JVM,process=server1,\*] Generate the thread dump: ----- wsadmin>\$AdminControl  
invoke \$jvm dumpJVMThreads. type=JVM,process=server1,\*] Generate the thread dump: -----  
wsadmin>\$AdminControl invoke \$jvm dumpJVMThreads. Generate the thread dump: -----  
wsadmin>\$AdminControl invoke \$jvm dumpJVMThreads. Look for an output file in the installation root directory with  
a name like Generate the thread dump: ----- wsadmin>\$AdminControl invoke \$jvm  
dumpJVMThreads. Look for an output file in the installation root directory with a name like -----  
wsadmin>\$AdminControl invoke \$jvm dumpJVMThreads. Look for an output file in the installation root directory with  
a name like javacore.date.time.id.txt. ----- wsadmin>\$AdminControl invoke \$jvm  
dumpJVMThreads. Look for an output file in the installation root directory with a name like javacore.date.time.id.txt.  
wsadmin>\$AdminControl invoke \$jvm dumpJVMThreads. Look for an output file in the installation root directory with  
a name like javacore.date.time.id.txt.
- J. Using the wsadmin command prompt, get a handle to the problem application server: wsadmin>\$AdminControl  
invoke \$jvm dumpJVMThreads. Look for an output file in the installation root directory with a name like  
javacore.date.time.id.txt.
- K. Using the wsadmin command prompt, get a handle to the problem application server: Look for an output file in the  
installation root directory with a name like javacore.date.time.id.txt.
- L. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- Look for an output file in the installation root directory with a name like  
javacore.date.time.id.txt.
- M. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- javacore.date.time.id.txt.
- N. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
javacore.date.time.id.txt.
- O. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName
- P. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*]

Q. Using the wsadmin command prompt, get a handle to the problem application server: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*] ----- wsadmin>set jvm  
[\$AdminControl completeObjectName type=JVM,process=server1,\*] Generate the thread dump: -----  
----- wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*] Generate the thread dump: wsadmin>set jvm [\$AdminControl completeObjectName  
type=JVM,process=server1,\*] Generate the thread dump: ----- wsadmin>set jvm  
[\$AdminControl completeObjectName type=JVM,process=server1,\*] Generate the thread dump: -----  
---- type=JVM,process=server1,\*] Generate the thread dump: ----- wsadmin>\$AdminControl  
invoke \$jvm dumpThreads type=JVM,process=server1,\*] Generate the thread dump: -----  
wsadmin>\$AdminControl invoke \$jvm dumpThreads Generate the thread dump: -----  
wsadmin>\$AdminControl invoke \$jvm dumpThreads Look for an output file in the installation root directory with a  
name like Generate the thread dump: ----- wsadmin>\$AdminControl invoke \$jvm dumpThreads  
Look for an output file in the installation root directory with a name like -----  
wsadmin>\$AdminControl invoke \$jvm dumpThreads Look for an output file in the installation root directory with a  
name like javacore.date.time.id.txt. ----- wsadmin>\$AdminControl invoke \$jvm dumpThreads  
Look for an output file in the installation root directory with a name like javacore.date.time.id.txt.  
wsadmin>\$AdminControl invoke \$jvm dumpThreads Look for an output file in the installation root directory with a  
name like javacore.date.time.id.txt. wsadmin>\$AdminControl invoke \$jvm dumpThreads Look for an output file in  
the installation root directory with a name like javacore.date.time.id.txt.

Answer: JKLMNOPQ

5. There are multiple property files which control the behavior of the FFDC filter. All of the following are FFDC property files EXCEPT:

- A. ffdcStart.properties - used while the server is starting
- B. ffdcRun.properties - used after the server is ready
- C. ffdcException.properties - used whenever an exception occurs
- D. ffdcStop.properties - used while the server is in the process of stopping

Answer: C

6. A system administrator has been requested to package an enterprise application so that all of its required resource definitions are contained in the Enterprise Archive (EAR) File. How can this task be accomplished by using the Application Server Toolkit (AST)?

- A. While running in AST, configure the application resources using the administrative console, then export an Enhanced EAR file.
- B. While using AST, import the EAR file into the workspace on the Resources perspective, import a previously configured resource.xml file and export an Enhanced EAR file.
- C. While using AST, open the application's deployment descriptor editor. Switch to the Deployment page, define the needed resources and export the Enhanced EAR file.
- D. Using AST, open each module of the application and define the required resources. Include the configured modules in an enterprise application project and export an Enhanced EAR file.

Answer: C

7. In WebSphere Application Server V6, a logging infrastructure that extends Java Logging is used. Which of the following contains the BEST subset of logging levels that a system administrator can use to log only errors?

- A. Severe, fatal
- B. All, finest, finer, fine, severe, fatal
- C. All, debug, entryExit, info, warning, fatal
- D. All, debug, entryExit, info, warning, error, fatal

Answer: A

8. On receipt of a JMS message on a queue (Q), a message-driven bean (MDB) processes the message by invoking a stateless session bean that does a data base update. Both enterprise beans execute within the same transaction

context. The queue type destination in the underlying Service Integration Bus corresponding to Q is defined with the "Maximum failed deliveries" attribute set to 0, and the "Exception destination" specified as 'None'. What happens when the processing of a particular message results in a transaction rollback?

- A. The application server hosting the MDB is shutdown.
- B. The JMS runtime stops the delivery of the message to the application.
- C. The JMS runtime keeps delivering the message to the application.
- D. The message gets stranded on the queue (Q).

Answer: C

9. A system administrator is creating a wsadmin script. Within the script, it is necessary to list the running applications on a server. Which of the following wsadmin scripting objects should be used?

- A. AdminMBeans
- B. AdminConfig
- C. AdminOperations
- D. AdminControl

Answer: D

10. A system administrator is asked how best to suppress System.out or System.err messages from the customer's application. Which of the following actions should the system administrator recommend to the customer?

- A. Convert their logging to use Log4J.
- B. Use the Common Base Event API and the Java Logging API.
- C. Use JRas to log messages.
- D. Click Troubleshooting > Logs and Trace > server name > JVM Logs and change the Installed Application Output parameter from the Admin Console.

Answer: D

11. When using the addNode command to federate a node to a cell, it may be necessary to know the Deployment Manager's SOAP connection port. What is the BEST way to locate this port?

- A. Navigate to the profiles directory of the WebSphere Application Server installation root directory, and issuing the wsadmin \$AdminConfig getPort command.
- B. Navigate to the bin directory of the node to be federated and issuing the following command `ivt.bat server1 &lt;node>.`
- C. Examine the serverindex.xml file corresponding to the Deployment Manager's node.
- D. Examine the responsefile.pct file in the WebSphere Application Server installation root directory.

Answer: C

12. The log files reveal naming exceptions after a system administrator has just created a new datasource. What tool would the system administrator use to verify that the datasource is correctly registered in the JNDI namespace?

- A. dumpJNDINamespace
- B. dumpNameSpace
- C. dumpJNDICache
- D. showNameSpace

Answer: B

13. Where in the administrative console can the log detail levels be changed?

- A. Troubleshooting > Logs and Trace
- B. System administration > Console settings > Preferences
- C. Environment > WebSphere Variables
- D. System administration > Console settings > Logging

Answer: A

14. A system administrator is deploying an application to a 2-node cluster. One of the nodes is a powerful AIX-based machine and the other is a smaller Windows-based machine with less processing capability. How would the cluster

BEST be configured to ensure more work gets routed to the more powerful server?

- A. Use the Random algorithm and assign a smaller weight to the Windows box.
- B. Use the First-Come-First-Served algorithm.
- C. Use the Round Robin and assign a larger weight to the AIX machine.
- D. Use the Least Recently Used algorithm with weights.

Answer: C

15. A system administrator is asked to diagnose a problem on a remote node using the Log Analyzer. In order to accomplish this task, what is the name of the Log Analyzer source log file that the system administrator will have to access?

- A. service.log
- B. activity.log
- C. loganalyzer.log
- D. trace.log

Answer: B

16. A system administrator is creating a new cluster. The servers in the cluster will need several configuration steps to support the applications. Which of the following ways is MOST efficient to create and configure the cluster members?

- A. Create and properly configure a server then add this server as the first member of the cluster.
- B. Create and properly configure a standalone server then add this server as the last member of the cluster.
- C. Create the cluster and add all the cluster members, then make configuration changes at the cluster scope.
- D. Create the cluster and add all the cluster members, then set the configuration in any of the clustered servers.

Answer: A

17. A proposed WebSphere cell contains about 25 nodes. The environment will be horizontally and vertically scaled and can potentially grow over time. What strategy for HTTP Session persistence would work BEST for this situation?

- A. Database session persistence
- B. Memory-to-Memory replication in a peer-to-peer topology
- C. Local sessions
- D. Peer-to-Peer session persistence

Answer: A

18. A system administrator wants to share system information like Workload Management among core groups. Which of the following statements is valid in this context?

- A. Core groups in same or different cells use the service integration bus to share Workload Management information.
- B. Core groups can overlap by including common servers and the common servers are used to share Workload Management information.
- C. Core groups in different cells can only use the core group bridge service to share Workload Management information.
- D. Core groups use the core group bridge service to share Workload Management information.

Answer: D

19. A customer has an application running on WebSphere Application Server. When a user logs on, the application retrieves the relevant Product code information from the database and stores it in a HashMap. A reference to the HashMap is then stored in the HTTP Session object. Which of the following should be recommended as a means for improving HTTP Session persistence performance?

- A. Use memory-to-memory replication
- B. Use peer-to-peer topology
- C. Use database persistence
- D. Declare the reference to the HashMap as transient

Answer: D

20. A system administrator is configuring application servers for using the Data Replication Service in a WebSphere Application Server V6 cluster environment. Which of the following replication modes are available?

- A. Client Only, Server Only, Both Client and Server
- B. Cluster Only, Both Client and Cluster
- C. Cluster Only, Both Cluster and Server
- D. Cluster Only, Node Only, Both Cluster and Node

Answer: A

### [More 000-252 Information](#)

#### **Related 000-252 Exams**

[000-101](#) *Virtualization Technical Support for AIX and Linux*

[000-100](#) *ENTERPRISE TECHNICAL SUPPORT FOR AIX AND LINUX*

[000-330](#) *Power Systems Technical Support for AIX and Linux*

[000-418](#) *IBM Websphere Datastage V.8.0*

[000-962](#) *Storage Sales for HighEnd Tape Version 1*

[COG-480](#) *IBM Cognos 8 Planning Professional*

[000-136](#) *Rational Application Developer v7*

[000-960](#) *IBM Storage Sales Exam*

[000-210](#) *IBM Storage Networking Solutions,Version 4*

[000-433](#) *IBM Tivoli Storage Manager V5.5 Implementation*

[000-432](#) *IBM Tivoli Storage Manager V5.5 Operator*

[COG-300](#) *IBM Cognos TM1 Analyst*

[000-314](#) *IBM Web Sphere Message Broker V6.1. System Administration*

[000-019](#) *IBM Tivoli Network Manager IP Edition V3.8 Implementation*

[000-R18](#) *IBM SurePOS ACE V5 Technical Professional*

[000-233](#) *aix installation,backup and system rec0ver*

[000-071](#) *ib m eserver x series technical principle v5*

[000-209](#) *SVC/Virtullization V.1*

[000-M22](#) *IBM Rational Application Developer Tech Sales Mastery V1*

[000-M15](#) *IBM Rational Quality Mgt Technical Sales Mastery Test v1*

#### **Other IBM Exams**

[000-M16](#)    [000-134](#)    [000-568](#)    [000-252](#)    [LOT-956](#)    [000-642](#)    [000-M01](#)    [000-M07](#)

[000-923](#)    [000-632](#)    [000-901](#)    [LOT-805](#)    [000-881](#)    [000-731](#)    [000-m27](#)    [000-911](#)

[000-314](#)    [000-372](#)    [000-734](#)    [000-892](#)