

## 000-255 IBM certifications III

### IBM test 255.dev.wwibm rational appdev-websphere software v6


**Practice Exam:** 000-255 Exams

**Exam Number/Code:** 000-255

**Exam Name:** test 255.dev.wwibm rational appdev-websphere software v6

**Questions and Answers:** 110 Q&As

( [IBM certifications III](#) )



Exam : [000-255](#)

"test 255.dev.wwibm rational appdev-websphere software v6", also known as 000-255 exam, is a IBM certification. With the complete collection of questions and answers, TestInside has assembled to take you through 110 Q&As to your 000-255 Exam preparation. In the 000-255 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Quality and Value for the 000-255 Exam TestInside Practice Exams for IBM **IBM certifications III** Certification 000-255 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

#### **TestInside provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-255 Exam.

000-255 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IBM certifications III product experts, included the current newest 000-255 examination questions.

3. 100% Guarantee to Pass Your IBM certifications III exam and get your IBM certifications III Certification.

If you do not pass the IBM Certification 000-255 exam (test 255.dev.wwibm rational appdev-websphere software v6) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

#### **use TestInside 000-255 Q&A ensure you pass the exam at your first try.**

TestInside professional provide IBM certifications III 000-255 the newest Q&A, completely covers 000-255 test original topic. With our complete IBM certifications III resources, you will minimize your IBM certifications III cost and be ready to pass your 000-255 tests on Your First Try, 100% Money Back Guarantee included!

[IBM 000-255](#) Test belongs to one of the IBM certifications III certified test, if needs to obtain the IBM certifications III certificate, you also need to participate in other related test, the details you may visit the [IBM certifications III](#) certified topic, in there, you will see all related IBM certifications III certified subject of examination.

#### **TestInside Testing Engine Features**

Comprehensive questions and answers about 000-255 exam

000-255 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-255 exam questions updated on regular basis

Same type as the certification exams, 000-255 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-255 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : IBM 000-255

Title : Test 255.dev.wvibm rational appdev-websphere software v6

1. What steps MUST be performed to add a Web project to a server?

A. Right-click on the Web project and select Add to Server Configuration. Select the desired server.

B. Right-click on an Enterprise Application project that contains the Web application and select Add to Server Configuration. Select the desired server.

C. Right-click on the server in the Servers view and select Add and remove projects. Select the Web project from the Available projects list and click Add.

D. Right-click on the server in the Servers view and select Add and remove projects. Select an Enterprise Application project that contains the Web application from the Available projects list and click Add.

Answer: D

2. In which TWO of the following locations can the context root of a Dynamic Web project be changed?

A. The Modules page of the Application Deployment Descriptor editor

B. The XML source of the application.xml file

C. From the J2EE dialog of the Properties of the Dynamic Web project

D. The source of the web.xml file

Answer: BC

3. A developer wants to import a zip file into a project without expanding the contents of the file. The Developer should use which of the following File -> Import features?

A. File System

B. Zip file

C. Resource file

D. J2EE Jar file

Answer: A

4. When a developer creates a servlet using the Servlet wizard, what is the purpose of the servlet name?

A. It is required to be used as the servlet class name.

B. It is used in the default URL mapping.

C. It is used to create an interface to the servlet.

D. It is used for filter mapping.

Answer: B

5. Which TWO of the following views allow a developer to see Struts resources organized by their Struts-specific types?

A. Project Explorer

B. Java Browsing

C. Struts Gallery

D. Struts Explorer

E. Modules

Answer: AD

6. Which of the following BEST describes perspectives within Rational Application Developer?

- A. A perspective is a collection of views that facilitate a particular development role.
- B. A perspective can be customized with different editors, depending on the needs of the developer.
- C. Perspectives can contain other perspectives.
- D. Perspectives are opened as a result of launching external applications.

Answer: A

7. What should be done to prevent the Server Selection dialog box from activating when a developer runs an Enterprise Application from its context menu?

- A. Select the "Set server as project default" option from the Server Selection wizard.
- B. Select the "Do not prompt" option in the Servers view.
- C. Create a new server and select the "Set server as workspace default" option in the Server Creation wizard.
- D. Add the project to the server from the server's context menu.

Answer: A

8. Datasources created in the Application Deployment Descriptor editor can be accessed by:

- A. Applications running on the server.
- B. Applications in the current workspace.
- C. Modules contained in the EAR file where the definition is made.
- D. J2EE Application client modules accessing the server.

Answer: C

9. Which of the following is NOT supported by Page Designer?

- A. ASP
- B. HTML
- C. JSP
- D. JavaScript

Answer: A

10. What can a developer do to allow quick access to a particular Help page?

- A. In the main menu, click Help -> Bookmark to bring up a list of Help topics, browse to the desired page, and click Add.
- B. In the main menu, click Favorites -> Manage Favorites, and select the desired page from the list of Help topics.
- C. In the Help window, browse to the desired page, and click the Bookmark Document icon in the toolbar.
- D. In the Help window, browse to the desired page, and click Favorites -> Add to Favorites from the menu.

Answer: C

11. A company is designing a Web application. Which TWO of the following technologies provide a model-view-controller framework?

- A. Struts
- B. Servlet
- C. JSTL
- D. JSF
- E. SDO

Answer: AD

12. A developer is creating a Struts enabled application using the Web Diagram editor. The resources in the editor that are gray and do not have bold label text are:

- A. Private.
- B. External.
- C. Unrealized.

D. Interfaces.

Answer: C

13. A developer has imported a new EAR file into a workspace. What is the result of selecting the Enterprise Application and choosing Run -> Run on Server from its context menu?

- A. The Server Selection dialog box is activated.
- B. The "Add and remove projects" dialog is activated.
- C. The Server Creation wizard is activated.
- D. The Enterprise Application runs on the workspace default server.

Answer: A

14. A developer has a partially complete Web application at the C:\rootwebApplication directory. In order to continue development in Rational Application Developer, what could the developer do?

- A. Open a new workspace at C:\rootwebApplication.
- B. Open a new workspace at C:\root, and create a new Web project called webApplication.
- C. From any workspace, create a new Web project, setting the context root to C:\rootwebApplication.
- D. From any workspace, create a new Web project, and selectively import the files from C:\rootwebApplication.

Answer: D

15. A developer wishes to create a project that contains a mix of HTML files, JSP files, servlets, and Java classes. Which option should the developer choose in the New Project wizard?

- A. Dynamic Web Project
- B. Static Web Project
- C. Java Project
- D. Server Project

Answer: A

16. A developer customizes the Java perspective and wants to save the changes as the default perspective that is opened in the workspace. Which of the following actions would be BEST for the developer to perform?

- A. Choose Window -> Save Perspective As and name the new perspective MyJava; Choose Window -> Preferences -> Workbench -> Perspectives, select MyJava and click Make Default.
- B. Choose Window -> Save Perspective; Choose Window -> Preferences -> Workbench -> Perspectives, select Java and click Make Default.
- C. Choose Window -> Preferences -> Workbench -> Perspectives, select Java and click Make Default.
- D. Choose Window -> Perspective -> Save Current As Default.

Answer: A

17. Which TWO of the following can be configured from the Servlets page of the Web Deployment Descriptor?

- A. Filters
- B. URL Mappings
- C. Initialization parameters
- D. Invoker Attributes

Answer: BC

18. Which of the following operations CANNOT be performed via the Insert Custom Tag dialog when editing a JSP in Page Designer?

- A. Import a tag library into the Web project.
- B. Add a taglib descriptor to the JSP.
- C. Add a <jsp:useBean> tag to the JSP.
- D. Add a custom JSP tag to the JSP.

Answer: C

19. A standalone Java application creates a log file without specifying a path name. The log file will be created in:

- A. The product installation directory.
- B. The bin subdirectory under the product installation directory.
- C. The root directory of the project.
- D. The package folder in which the main Java class is located.

Answer: C

20. An Enterprise Application project contains multiple Dynamic Web projects. All of the Web projects use a set of common classes defined in a Java project. The common classes are still under development and are changing daily. What is the BEST way to make the common classes available to the Web projects at runtime?

- A. Add the Java project as a Web Library Project in each of the WARs.
- B. Add the Java project as a Project Utility JAR in the EAR and create a Java JAR Dependency in each of the Dynamic Web projects.
- C. Export the Java project as a JAR file and import it into the WebContent/WEB-INF/lib folder of each of the Dynamic Web projects.
- D. Export the classes of the Java project and import the individual class files into the WebContent/WEB-INF/classes folder of each of the Dynamic Web projects.

Answer: B

### [More 000-255 Information](#)

#### **Related 000-255 Exams**

[000-101](#) *Virtualization Technical Support for AIX and Linux*

[000-100](#) *ENTERPRISE TECHNICAL SUPPORT FOR AIX AND LINUX*

[000-330](#) *Power Systems Technical Support for AIX and Linux*

[000-418](#) *IBM Websphere Datastage V.8.0*

[000-962](#) *Storage Sales for HighEnd Tape Version 1*

[COG-480](#) *IBM Cognos 8 Planning Professional*

[000-136](#) *Rational Application Developer v7*

[000-960](#) *IBM Storage Sales Exam*

[000-210](#) *IBM Storage Networking Solutions,Version 4*

[000-433](#) *IBM Tivoli Storage Manager V5.5 Implementation*

[000-432](#) *IBM Tivoli Storage Manager V5.5 Operator*

[COG-300](#) *IBM Cognos TM1 Analyst*

[000-314](#) *IBM Web Sphere Message Broker V6.1. System Administration*

[000-019](#) *IBM Tivoli Network Manager IP Edition V3.8 Implementation*

[000-R18](#) *IBM SurePOS ACE V5 Technical Professional*

[000-233](#) *aix installation,backup and system rec0ver*

[000-071](#) *ib m eserver x series technical principle v5*

[000-209](#) *SVC/Virtullization V.1*

[000-M22](#) *IBM Rational Application Developer Tech Sales Mastery V1*

[000-M15](#) *IBM Rational Quality Mgt Technical Sales Mastery Test v1*

#### **Other IBM Exams**

[000-647](#)    [LOT-801](#)    [000-927](#)    [000-061](#)    [000-749](#)    [000-012](#)    [000-640](#)    [000-695](#)

[000-P03](#)    [000-M24](#)    [000-M38](#)    [000-631](#)    [000-665](#)    [LOT-721](#)    [000-636](#)    [000-664](#)

[000-920](#)    [000-743](#)    [000-787](#)    [000-793](#)

