

## 000-258 IBM certifications I

### IBM Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x


**Practice Exam:** 000-258 Exams

**Exam Number/Code:** 000-258

**Exam Name:** Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x

**Questions and Answers:** 108 Q&As

( [IBM certifications I](#) )



Exam : [000-258](#)

"Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x", also known as 000-258 exam, is a IBM certification. With the complete collection of questions and answers, TestInside has assembled to take you through 108 Q&As to your 000-258 Exam preparation. In the 000-258 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Quality and Value for the 000-258 Exam TestInside Practice Exams for IBM **IBM certifications I** Certification 000-258 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

#### **TestInside provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-258 Exam.

000-258 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IBM certifications I product experts, included the current newest 000-258 examination questions.

3. 100% Guarantee to Pass Your IBM certifications I exam and get your IBM certifications I Certification.

If you do not pass the IBM Certification 000-258 exam (Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

#### **use TestInside 000-258 Q&A ensure you pass the exam at your first try.**

TestInside professional provide IBM certifications I 000-258 the newest Q&A, completely covers 000-258 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-258 tests on Your First Try, 100% Money Back Guarantee included!

[IBM 000-258](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

#### **TestInside Testing Engine Features**

Comprehensive questions and answers about 000-258 exam

000-258 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-258 exam questions updated on regular basis

Same type as the certification exams, 000-258 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-258 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : IBM 000-258

Title : Test 258 Web Svcs Dev Rational App Dev for WS Sftwr V6.0.x

1. On a machine with only WebSphere Application Server, what would a developer do to trace SOAP messages?

- A. Use the WebSphere Application Server Admin console trace view and set trace options to `com.ibm.ws.*=all=enabled`.
- B. Install a Network sniffing tool on the box like Ethereal.
- C. Install IBM Rational Application Developer on that machine and use the TCP/IP Monitor view.
- D. Run the WebSphere Application Server TCP/IP Monitor tool.

Answer: D

2. A developer uses the wizard to create a new Web service. When attempting to execute the new service, an error occurs:

"SOAPException: faultCode=SOAP-ENV:Client; msg=No Deserializer found"

Which steps should the developer take?

- A. Check the "Map to WSDL XSD" preference. Re-create the Web service implementation, adding "xsi:type" properties to the elements that caused errors.
- B. Check the "Enable element-based mapping" preference. Re-create the Web service, selecting "Edit and use a customized mapping" and specify an appropriate serializer.
- C. Check the "Enable element-based mapping" preference. Re-create the Web service implementation, adding "xsi:type" properties to the elements that caused errors.
- D. Check the "Map to WSDL XSD" preference. Re-create the Web service, specifying an appropriate serializer for each of the elements that caused errors.

Answer: B

3. Which file must be modified to add a Web service reference to a J2EE 1.4 application client?

- A. application.xml
- B. application-client.xml
- C. META-INF/MANIFEST.MF
- D. META-INF/.modulemaps

Answer: B

4. What does the WS-Security specification recommend to prevent replay attacks on Web services?

- A. Requiring the password field with username token authentication
- B. Usage of XML Encryption for the messages
- C. Rejection of the username token when either the nonce or creation timestamp is missing
- D. Two way SSL to authenticate both the server and the client

Answer: C

5. If a WSDL operation requires a parameter of type `xsd:date`, which kind of content assistant does the Web Service Explorer provide to help the user fill in the request form (Actions pane)?

- A. In-line typing support using Ctrl + space as in a Java source editor
- B. A small calendar to pick up a correct date
- C. A date format reminder (e.g. YYYY/MM/DD) on top of the date field in the form
- D. It automatically sets the field to the current date.

Answer: B

6. Which two statements are true about the SOAP with Attachments API for Java (SAAJ)?

- A. SAAJ extends the DOM API and provides programmatic access to SOAP elements.
- B. SAAJ provides a higher level of abstraction compared to the JAX-RPC API.
- C. When using SAAJ, response messages are received synchronously using a request-response model.
- D. When using SAAJ, it is important for developers to understand the Proxy design pattern.
- E. Clients that use the SAAJ API need to run on J2EE container that supports the JNDI protocol.

Answer: AC

7. If a Web service implementation is based on a session EJB, where is the WSDL file in the Enterprise Archive (EAR) file located?

- A. In the /META-INF directory of the ejb-jar file
- B. In the /META-INF/wsdL directory of the ejb-jar file
- C. In the /wsdl directory of the ejb-jar file
- D. In the Web module defining the endpoint servlet

Answer: B

8. What should be avoided when creating a Web service from a JavaBean, assuming WS-I compliance is a requirement?

- A. Document/encoded encoding style
- B. Document/literal encoding style
- C. JAX/RPC
- D. SAAJ

Answer: A

9. Which two can be used to categorize a business entity that the service is associated with, when registering a Web service to a UDDI registry using Web Services Explorer?

- A. North American Industry Classification System (NAICS)
- B. Dun & Bradstreet D-U-N-S
- C. United Nations Standard Products and Services Code (UNSPSC)
- D. Industry and Specialization (Product/Service)
- E. Quality of Service (QoS) and Support for WS-I

Answer: AC

10. Once a managed Web service client has obtained a Service reference, it may perform the actual service invocation using:

- A. a generated Stub for that service or a dynamic service proxy.
- B. a generated Stub for that service, a dynamic service proxy or a DII (Dynamic Invocation Interface).
- C. a generated Stub for that service.
- D. a dynamic service proxy, a DII (Dynamic Invocation Interface) or a direct java method invocation if the service implementation appears to be local.

Answer: B

11. IBM Rational Application Developer provides which two ways for an application developer to specify the parts of the message that have to be signed in the request generator configuration to achieve integrity and confidentiality?

- A. Predefined keywords
- B. XPath
- C. XQuery
- D. Security Token

Answer: AB

12. If a Web service is needed which must access a stored procedure or SQL statement, what is the appropriate type

of web service that must be created?

- A. An entity Enterprise Java Bean (EJB) Web service
- B. A Document Access Definition Extension (DADX) Web service
- C. An Structured Query Language (SQL) Web service
- D. A user-defined function (UDF) Web service

Answer: B

13. A developer has defined the SearchRequest type as follow in the WSDL:

Using the Rational Application Developer Web service wizard, how will the customerIdList element be generated when the "Generate Java from WSDL using the no wrapped array style for WebSphere v6" option is selected?

- A. `private com.test.CustomerIdList customerIdList;`
- B. `private com.test.CustomerIdList id;`
- C. `private java.lang.String[] customerIdList;`
- D. `private java.lang.String[] id;`

Answer: D

14. Which binding style and encoding type is used for the NewOperation in the following WSDL document:

- A. Document literal
- B. Document literal wrapped
- C. RPC encoded
- D. RPC literal

Answer: A

15. What is the best way to create a Web service that accesses a DB2 database?

- A. Use the Web services wizard to create the Web service from the database schema.
- B. Use the DADX wizard to create the Web service from the database schema.
- C. Use the DADX wizard to create a DADX file from SQL statements, and use the Web services wizard to create the Web service from the DADX file.
- D. Create a DADX group, use the DADX wizard to create a DADX file from SQL statements, and use the Web services wizard to create the Web service from the DADX file.

Answer: D

16. A developer creates a Java client in the Java Project 'JavaClient' for the Web service WSDL called 'MyService.wsdl'. When selecting to test a Java client using "Web services Sample JSP's" Rational Application Developer will:

- A. prompt you for a Dynamic Web project and then build the required JSP's inside it.
- B. build all the required JSP artifacts inside the Java Project 'JavaClient' where the java proxy resides.
- C. create a Dynamic Web project called 'JavaClientSample' and then build the required JSP's inside it.
- D. build the test client JSP's inside Web services Explorer.

Answer: C

17. To improve interoperability, the WS-I Basic Profile mandates which two styles/encodings?

- A. Document/encoded
- B. Document/literal
- C. RPC/encoded
- D. RPC/literal
- E. SOAP

Answer: BD

18. A Web services solution developer is asked to add JAX-RPC Handlers to an existing Web service. Where should the JAX-RPC handler classes be located at deployment time?

- A. In the `jax-rpc-handlers.jar` file
- B. In the J2EE module that defines the Web service

- C. In the Web module defined as router project
  - D. In the WEB-INF/handlers or META-INF/handlers directory depending on the Web service implementation type
- Answer: B

19. When editing a Web service for J2EE Web deployment descriptor in IBM Rational Application Developer, which part of a SOAP message may NOT be encrypted?

- A. The digest value
- B. The message header content
- C. The message body content
- D. The username token

Answer: B

20. When performance is a critical consideration, why should Base 64 encoding be avoided?

- A. It increases message size by a great factor.
- B. It slows down XML parser performance.
- C. It is incompatible with certain firewalls.
- D. Its decoding algorithm does not scale as server load increases.

Answer: A

**[More 000-258 Information](#)**

**Related 000-258 Exams**

[000-974](#) Power Systems Technical Support for i

[000-223](#) IBM System p Administrator

[000-377](#) Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration

[000-015](#) IBM Maximo Asset Management V7.1 Implementation

[000-990](#) Test 990, IBM Web Sphere Bus Modeler Adv V6.0, Bus Anl+Design

[000-417](#) IBM Web Sphere Information Analyzer v8.0

[000-669](#) SOA Fundamentals (2008)

[000-316](#) IBM Web Sphere Integration Developer V6.1

[000-667](#) IBM Test 667, Architectural Design of SOA Solutions

[000-913](#) informix 4gl development

[000-936](#) IBM Tivoli Access Manager for e-business V6.1 Implementation

[000-431](#) IBM Tivoli Storage Manager V5.5 Administration

[000-084](#) Modular Systems High Performance Servers

[000-994](#) Test994, IBM Web Sphere MQ V6.0, System Administration

[000-111](#) IBM Distributed Systems Storage Solutions Version 7

[000-908](#) Tivoli Monitoring V6.2 Implementation

[000-017](#) Foundations of Tivoli process automation engine V7.1

[000-113](#) IBM Storage Solution Design Entry/Midrange DS Series V1

[000-207](#) High End Taps Solutions Version 5

[000-011](#) IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation

**Other IBM Exams**

<a href="#">000-974</a>	<a href="#">000-703</a>	<a href="#">000-347</a>	<a href="#">000-161</a>	<a href="#">000-710</a>	<a href="#">000-R03</a>	<a href="#">000-911</a>	<a href="#">LOT-805</a>
<a href="#">000-852</a>	<a href="#">000-046</a>	<a href="#">000-997</a>	<a href="#">000-818</a>	<a href="#">000-233</a>	<a href="#">000-933</a>	<a href="#">000-961</a>	<a href="#">000-M31</a>
<a href="#">LOT-847</a>	<a href="#">000-236</a>	<a href="#">000-253</a>	<a href="#">000-793</a>				

