

000-700 DB2

IBM ibm db2 udb v8.1 family fundamentals

Practice Exam: 000-700 Exams

Exam Number/Code: 000-700

Exam Name: ibm db2 udb v8.1 family fundamentals

Questions and Answers: 108 Q&As

([DB2](#))



Exam : [000-700](#)

"ibm db2 udb v8.1 family fundamentals", also known as 000-700 exam, is a IBM certification. With the complete collection of questions and answers, TestInside has assembled to take you through 108 Q&As to your 000-700 Exam preparation. In the 000-700 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Quality and Value for the 000-700 Exam TestInside Practice Exams for IBM **DB2** Certification 000-700 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-700 Exam.

000-700 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the DB2 product experts, included the current newest 000-700 examination questions.

3. 100% Guarantee to Pass Your DB2 exam and get your DB2 Certification.

If you do not pass the IBM Certification 000-700 exam (ibm db2 udb v8.1 family fundamentals) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 000-700 Q&A ensure you pass the exam at your first try.

TestInside professional provide DB2 000-700 the newest Q&A, completely covers 000-700 test original topic. With our complete DB2 resources, you will minimize your DB2 cost and be ready to pass your 000-700 tests on Your First Try, 100% Money Back Guarantee included!

[IBM 000-700](#) Test belongs to one of the DB2 certified test, if needs to obtain the DB2 certificate, you also need to participate in other related test, the details you may visit the [DB2](#) certified topic, in there, you will see all related DB2 certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 000-700 exam

000-700 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-700 exam questions updated on regular basis

Same type as the certification exams, 000-700 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-700 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : IBM 000-700

Title : IBM DB2 UDB V8.1 Family Fundamentals

1. Given the following table definition:

STAFF

id INTEGER

name CHAR(20)

dept INTEGER

job CHAR(20)

years INTEGER

salary DECIMAL(10,2)

comm DECIMAL(10,2)

Which of the following SQL statements will return a result set that satisfies these conditions:

-Displays the department ID and total number of employees in each department.

-Includes only departments with at least one employee receiving a commission (comm) greater than 5000.

-Sorted by the department employee count from greatest to least.

A. SELECT dept, COUNT(*) FROM staff GROUP BY dept HAVING comm > 5000 ORDER BY 2 DESC

B. SELECT dept, COUNT(*) FROM staff WHERE comm > 5000 GROUP BY dept, comm ORDER BY 2 DESC

C. SELECT dept, COUNT(*) FROM staff GROUP BY dept HAVING MAX(comm) > 5000 ORDER BY 2 DESC

D. SELECT dept, comm, COUNT(id) FROM staff WHERE comm > 5000 GROUP BY dept, comm ORDER BY 3 DESC

Answer: C

2. Given that the following statements were executed in order:

CREATE TABLE tab1 (c1 CHAR(1))

INSERT INTO tab1 VALUES ('b')

CREATE VIEW view1 AS SELECT c1 FROM tab1 WHERE c1 ='a'

INSERT INTO view1 VALUES ('a')

INSERT INTO view1 VALUES ('b')

How many rows would be returned from the following statement?

SELECT c1 FROM tab1

A. 0

B. 1

C. 2

D. 3

Answer: D

3. Which two of the following SQL data types should be used to store a small binary image?

A. CLOB

B. BLOB

C. VARCHAR

D. GRAPHIC

E. VARCHAR FOR BIT DATA

Answer: BE

4. Which of the following tools can be used to identify inefficient SQL statements without executing them?

- A. QMF
- B. Task Center
- C. Visual Explain
- D. Development Center

Answer: C

5. Given the following two tables:

```
TAB1 TAB2
C1 C2 CX CY
```

```
-----
A 11 A 21
B 12 C 22
C 13 D 23
```

The following results are desired:

```
C1 C2 CX CY
-----
```

```
A 11 A 21
B 12 - -
C 13 C 22
```

Which of the following joins will yield the desired results?

- A. SELECT * FROM tab1 INNER JOIN tab2 ON c1=cx
- B. SELECT * FROM tab2 LEFT OUTER JOIN tab1 ON c1=cx
- C. SELECT * FROM tab2 FULL OUTER JOIN tab1 ON c1=cx
- D. SELECT * FROM tab1 LEFT OUTER JOIN tab2 ON c1=cx

Answer: D

6. Given the following statements from two embedded SQL programs:

Program 1:

```
CREATE TABLE mytab (col1 INT, col2 CHAR(24))
COMMIT
```

Program 2:

```
INSERT INTO mytab VALUES( 20989,'Joe Smith')
COMMIT
INSERT INTO mytab VALUES( 21334,'Amy Johnson')
DELETE FROM mytab
COMMIT
INSERT INTO mytab VALUES( 23430,'Jason French')
ROLLBACK
INSERT INTO mytab VALUES( 20993,'Samantha Jones')
COMMIT
DELETE FROM mytab WHERE col1=20993
ROLLBACK
```

Assuming Program 1 ran to completion and then Program 2 ran to completion, which of the following records would be returned by the statement:

```
SELECT * FROM mytab?
```

- A. 20989, Joe Smith
- B. 21334, Amy Johnson
- C. 23430, Jason French
- D. 20993, Samantha Jones
- E. No records are returned.

Answer: D

7. A unit of work is using an isolation level of Read Stability. An entire table is scanned twice within the unit of work.

Which of the following can be seen on the second scan of the table?

- A. Rows removed by other processes
- B. Rows added to a result set by other processes
- C. Rows changed in a result set by other processes
- D. Rows with uncommitted changes made by other processes

Answer: B

8. A table called EMPLOYEE has the following columns:

NAME

DEPARTMENT

PHONE_NUMBER

Which of the following will allow USER1 to modify the PHONE_NUMBER column?

- A. GRANT INDEX (phone_number) ON TABLE employee TO user1
- B. GRANT ALTER (phone_number) ON TABLE employee TO user1
- C. GRANT UPDATE (phone_number) ON TABLE employee TO user1
- D. GRANT REFERENCES (phone_number) ON TABLE employee TO user1

Answer: C

9. Which of the following DB2 data types CANNOT be used to contain the date an employee was hired?

- A. CLOB
- B. TIME
- C. VARCHAR
- D. TIMESTAMP

Answer: B

10. What is the minimum privilege required to allow USER1 to access table data?

- A. READ privilege on the table
- B. SELECT privilege on the table
- C. REFERENCES privilege on the table
- D. SELECT privilege WITH GRANT OPTION on the table

Answer: B

11. Which of the following actions describes when SQL indexes can be explicitly referenced by name within an SQL statement?

- A. When dropping the index
- B. When altering the index
- C. When selecting on the index
- D. When inserting using the index

Answer: A

12. Given the SQL statement:

```
ALTER TABLE table1 ADD col2 INT WITH DEFAULT
```

Which of the following is the result of the statement?

- A. The statement fails because no default value is specified.
- B. A new column called COL2 is added to TABLE1 which would have a null value if selected.
- C. A new column called COL2 is added to TABLE1 which would have a value of zero if selected.
- D. A new column called COL2 is added to TABLE1 which would require the default value to be set before working with the table.

Answer: C

13. Which of the following tools is used to create subscription sets and add subscription-set members to subscription sets?

- A. Journal

- B. License Center
- C. Replication Center
- D. Development Center

Answer: C

14. Given the following SQL statements:

```
CREATE TABLE birthday1
(day INT CHECK(day BETWEEN 1 AND 31),
month INT CHECK(month BETWEEN 1 AND 6),
year INT)
CREATE TABLE birthday2
(day INT CHECK(day BETWEEN 1 AND 31),
month INT CHECK(month BETWEEN 7 AND 12),
year INT)
CREATE VIEW birthdays AS
SELECT * FROM birthday1
UNION ALL
SELECT * FROM birthday2
INSERT INTO birthday1 VALUES( 22,10, 1973)
INSERT INTO birthday1 VALUES( 40, 8, 1980)
INSERT INTO birthday1 VALUES( 8, 3, 1990)
INSERT INTO birthday1 VALUES( 22, 10, 1973)
INSERT INTO birthday1 VALUES( 3, 3, 1960)
```

What will be the result of the following SELECT statement?

```
SELECT COUNT(*) FROM birthdays
```

- A. 0
- B. 2
- C. 3
- D. 5D.5

Answer: B

15. Given these columns from the DEPARTMENT table:

deptno CHAR(3) NOT NULL

deptname CHAR(20) NOT NULL

mgrno CHAR(6)

admrdept CHAR(3)

location CHAR(20) NOT NULL

Which of the following will select the rows that do not have a value in the MGRNO column?

- A. SELECT * FROM department WHERE mgrno = "
- B. SELECT * FROM department WHERE mgrno = NULL
- C. SELECT * FROM department WHERE mgrno IS NULL
- D. SELECT * FROM department WHERE mgrno IS UNKNOWN

Answer: C

16. An application bound with isolation level Uncommitted Read updates a row. Which of the following is true regarding the locking of this row?

- A. No row lock is acquired when the row is updated.
- B. The row lock is released when the cursor accessing the row is closed.
- C. The row lock is released when the application issues a COMMIT statement.
- D. The row lock is released when the cursor accessing the row is moved to the next row.

Answer: C

17. Table T1 has a column C1 char(3) that contains strings in upper and lower case letters. Which of the following

queries will find all rows where C1 is the string 'ABC' in any case?

- A. SELECT * FROM t1 WHERE c1 = 'ABC'
- B. SELECT * FROM t1 WHERE UCASE(c1) = 'ABC'
- C. SELECT * FROM t1 WHERE IGNORE_CASE(c1 = 'ABC')
- D. SELECT * FROM t1 WHERE c1 = 'ABC' WITH OPTION CASE INSENSITIVE

Answer: B

18. Given the following table definitions:

```
CREATE TABLE employee
(empid INT NOT NULL PRIMARY KEY,
emp_fname CHAR(30),
emp_lname CHAR(30)
CREATE TABLE payroll)
(empid INTEGER,
weeknumber INTEGER
paycheck DECIMAL(6,2),
CONSTRAINT fkconst FOREIGN KEY (empid)
REFERENCES employee (empid) ON DELETE SET NULL,
CONSTRAINT chk1
CHECK (paycheck>0 AND weeknumber BETWEEN 1 and 52))
```

The appropriate indexes exist to support the tables created with the previous CREATE statements. Which two of the following operations can cause the enforcement of a constraint defined on PAYROLL?

- A. Update of a row in PAYROLL
- B. Deletion of a row in PAYROLL
- C. Deletion of a row in EMPLOYEE
- D. Addition of a new column to PAYROLL
- E. Rollback of a row deletion on PAYROLL

Answer: AC

19. A client application on OS/390 or OS/400 must access a DB2 server on AIX. At a minimum, which of the following products is required to provide DRDA Application Server functionality on the DB2 server for AIX?

- A. DB2 Connect Enterprise Edition
- B. DB2 UDB Workgroup Server Edition
- C. DB2 Connect Enterprise Edition and DB2 UDB Workgroup Server Edition
- D. DB2 Connect Enterprise Edition and DB2 UDB Enterprise Server Edition

Answer: B

20. Given the following table definition:

```
COUNTRY
c1 INTEGER
name CHAR(20)
```

Which of the following SQL statements will remove all rows from the table named COUNTRY?

- A. DELETE FROM country
- B. DELETE * FROM country
- C. DELETE FROM TABLE country
- D. DELETE FROM country WHERE c1 IS NOT NULL

Answer: A

[More 000-700 Information](#)

Related 000-700 Exams

000-730 DB2 9 Fundamentals

000-355 *iseries system administration v5r2*

000-731 *DB2 9 DBA for Linux,UNIX and Windows*

000-732 *DB2 9 for z/OS Database Administrator*

000-700 *ib m db2 udb v8.1 family fundametals*

000-735 *DB2 9.5 SQL Procedure Developer*

000-702 *db2 udb v8.1 for z/os datab ase administration*

000-442 *ib m content manager version 8*

000-513 *db2 udb v7.1 datab ase administration for unix windows % os/2*

000-703 *db2 udb v8.1 familu application development*

000-701 *ib m db2 udb v8.1 datab ase admin for linux unix&windows*

000-516 *db2 udb datab ase administration for os/390*

000-704 *db2 udb v8.1 advanced db admin for linux,unix+windwos*

000-514 *db2 udb v7.1 family application development*

000-706 *db2 v8.1 for linux,unix and windows db admin upgrade*

000-541 *DB2 9.7 DBA for Linux UNIX and Windows*

000-543 *DB2 9.7 Application Development*

Other IBM Exams

000-876

000-718

000-001

000-646

000-M16

000-749

000-642

000-J02

000-136

000-903

000-M38

000-640

000-M19

000-M31

LOT-834

000-426

000-137

000-113

000-314

000-898