

## **000-972 IBM certifications I IBM ILE RPG Programmer**

**Practice Exam:** 000-972 Exams

**Exam Number/Code:** 000-972

**Exam Name:** ILE RPG Programmer

**Questions and Answers:** 70 Q&As

( [IBM certifications I](#) )



Exam : [000-972](#)

"ILE RPG Programmer", also known as 000-972 exam, is a IBM certification. With the complete collection of questions and answers, TestInside has assembled to take you through 70 Q&As to your 000-972

Exam preparation. In the 000-972 exam resources, you will cover every field and category in IBM Certification helping to ready you for your successful IBM Certification.

Quality and Value for the 000-972 Exam TestInside Practice Exams for IBM **IBM certifications I** Certification 000-972 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### ***TestInside provide the professional Q&A.***

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 000-972 Exam.

000-972 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the IBM certifications I product experts, included the current newest 000-972 examination questions.

3. 100% Guarantee to Pass Your IBM certifications I exam and get your IBM certifications I Certification.

If you do not pass the IBM Certification 000-972 exam (ILE RPG Programmer) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

### ***use TestInside 000-972 Q&A ensure you pass the exam at your first try.***

TestInside professional provide IBM certifications I 000-972 the newest Q&A, completely covers 000-972 test original topic. With our complete IBM certifications I resources, you will minimize your IBM certifications I cost and be ready to pass your 000-972 tests on Your First Try, 100% Money Back Guarantee included!

[IBM 000-972](#) Test belongs to one of the IBM certifications I certified test, if needs to obtain the IBM certifications I certificate, you also need to participate in other related test, the details you may visit the [IBM certifications I](#) certified topic, in there, you will see all related IBM certifications I certified subject of examination.

### ***TestInside Testing Engine Features***

Comprehensive questions and answers about 000-972 exam

000-972 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

000-972 exam questions updated on regular basis

Same type as the certification exams, 000-972 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 000-972 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : IBM 000-972

Title : ILE RPG Programmer

1. Given the following code sample:

```
d NotLate PR ExtPgm('LARRY')
```

```
d RqDta 32767a
```

```
d RqLen 10i 0
```

```
d RqTyp 10i 0
```

Which of the following is the correct code to call the program Larry?

A. call NotLate(RequestData : RequestLength : RequestType);

B. callb NotLate(RequestData : RequestLength : RequestType);

C. callp NotLate(RequestData : RequestLength : RequestType);

D. C CALL 'NOTLATE'

C PARM RequestData

C PARM RequestLength

C PARM RequestType

Answer: C

2. Given the following code sample:

```
D amount s 3 0 inz(900)
```

```
/free
```

```
monitor;
```

```
amount += 100;
```

```
on-error *program;
```

```
amount = *hival;
```

```
on-error *all;
```

```
amount = *hival;
```

```
monitor;
```

```
amount -= 100;
```

```
on-error *program;
```

```
amount = 0;
```

```
on-error *all;
```

```
amount = 100;
```

```
endmon;
```

```
endmon;
```

What is the value of AMOUNT upon completion?

A. 0

B. 999

C. 100

D. 899

Answer: B

3. Given the following H-spec:

```
h datedit(*mdy)
```

Which of the following conditions tests whether a job started prior to midnight and is still running after midnight?

A. if udate < %date();

- B. if \*date < %date());
- C. if %date(udate:\*mdy) < %date());
- D. if %date(\*date:\*mdy) < %date());

Answer: C

4. Which of the following operation codes is supported in both fixed form and /Free form?

- A. CALL
- B. EVALR
- C. ALLOC
- D. EXTRCT

Answer: B

5. File CUSMS contains a field named CMCSNO. Which of the following file specification keywords will allow the program to recognize this field as CUSTCSNO?

- A. PREFIX(CUST)
- B. PREFIX(CUST:2)
- C. RENAME(CM:CUST)
- D. RENAME(CMCSNO:CUSTCSNO)

Answer: B

6. What is the purpose for the following reserved words?

XML\_START\_ELEMENT

XML\_COMMENT

XML\_CHARS

XML\_END\_ELEMENT

- A. Aids in parsing XML using the DOM (Document Object Model).
- B. Indicates the type of data entity to create during XML generation.
- C. Aids in interpreting the event parameter in an event handling procedure.
- D. Indicates to the parser which events your handler should be notified of.

Answer: C

7. The documentation for a system API lists the following parameters:

Move Spooled File (QSPMOVSP) API

Required Parameter Group:

- 1 Function information Input Char(\*)
- 2 Length of function information Input Binary(4)
- 3 Function information format name Input Char(8)
- 4 Error code I/O Char(\*)

Which is a valid prototype for the call of this API?

A. d QSPMOVSP pr extpgm('QSPMOVSP')

d FuncInfo 200

d InfoLeng 4b 0

d FormatName 8

d ErrorCode 80

B. d QSPMOVSP pr

d FuncInfo 200

d InfoLeng 10i 0

d FormatName 8

d ErrorCode 80

C. d MoveSPLF pr extproc('QSPMOVSP')

d FuncInfo 200

d InfoLeng 4b 0 const

d FormatName 8 const

d ErrorCode 80  
D. d MoveSPLF pr extpgm('QSPMOVSP')  
d FuncInfo 200  
d InfoLeng 10i 0  
d FormatName 8  
d ErrorCode 80  
Answer: D

8. A service program comprised of 6 modules has a custom signature. A new procedure with the EXPORT keyword has been added to one of the module sources. This procedure is not yet referenced by any programs. Which of the following is the correct sequence of tasks required?

- A. Recompile \*MODULE, modify binder source, update \*SRVPGM
- B. Recompile \*MODULE, modify binder source, update \*SRVPGM, recreate dependent programs
- C. Modify binder source, update \*SRVPGM, recompile \*MODULE, recreate \*PGM objects bound to the \*SRVPGM
- D. Recompile \*MODULE, update \*SRVPGM, modify binder source, recreate \*PGM objects bound to the \*SRVPGM

Answer: A

9. Given the following code sample:

```
DName+++++ETDsFrom+++To/L+++IDc.Keywords+++++
d CustPrice pr 9 3
d Company 3 0 const
d Item 20
d Contract 10 options(*omit)
d Quantity 7 0 options(*nopass)
d MyPrice s 9 3
d MyCompany s 3 0
d MyItem s 20
d MyContract s 10
d MyQty s 7 0
```

Which of the following is a valid expression?

- A. MyPrice = CustPrice(1 : MyItem : \*omit);
- B. MyPrice = CustPrice(1 : MyItem : : MyQty);
- C. MyPrice = CustPrice(MyCompany : MyItem : \*omit : \*nopass);
- D. MyPrice = CustPrice(MyCompany : MyItem : MyContract : \*omit);

Answer: A

10. Which of the following SQL statements, when used by itself in an RPG program, can take the place of a File Specification, a key and a CHAIN?

- A. FETCH
- B. SELECT INTO
- C. DECLARE CURSOR
- D. PREPARE STATEMENT

Answer: B

11. Given the following code sample, what value is displayed?

```
D MyDS DS
D FieldA 5A Inz('XXXXX')
/free
FieldA = 'VWXYZ';
Reset FieldA;
Dsply ('FieldA=' + FieldA);
*INLR = *On;
BegSR *InzSR;
```

FieldA = 'ABCDE';  
EndSR;  
A. FieldA=  
B. FieldA=VWXYZ  
C. FieldA=ABCDE  
D. FieldA=XXXXX  
Answer: C

12. A trigger program has been designed to run whenever file CUSTMAST is modified. A decimal data error is encountered when trying to reference a numeric field in the old record image of CUSTMAST. The buffer contained hexadecimal '40404040'. Which of the following was found to have caused the error?

- A. The trigger program was fired by a \*DELETE event.
- B. The trigger program was fired by an \*INSERT event.
- C. The trigger program was added as a \*BEFORE trigger.
- D. The trigger program was compiled without ALWNULL(\*YES).

Answer: B

13. Given the following code sample:

```
DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++  
d StartString s 50a inz('Fred, Barney, Wilma, Betty,')  
d EndString s like(StartString)  
d pos s 3i 0 inz  
/free  
dou pos >= 3;  
pos += 1;  
pos = %Scan(',') : StartString : pos);  
enddo;  
pos += 1;  
EndString = %replace(' Dino,' : StartString : pos : 0);  
Upon completion, what is the value of EndString?
```

- A. Fred, Dino,
- B. Dino, Barney, Wilma, Betty,
- C. Fred, Barney, Wilma, Betty,
- D. Fred, Dino, Barney, Wilma, Betty,

Answer: D

14. Given the following code sample:

```
DName+++++++ETDsFrom+++To/L+++IDc.Keywords+++++++  
D ElementsAllocatedS...  
D S 10i 0
```

Which of the following best describes ElementsAllocatedS?

- A. A syntax error
- B. A long field name
- C. A data structure
- D. A qualified field name

Answer: B

15. Which of the following is an advantage gained by using a prototype and CALLP for a program call in place of CALL and PARM operations?

- A. Ability to qualify the name of the program being called
- B. Ability to have the compiler validate the parameters being passed
- C. Ability to use a variable to contain the name of the program to be called
- D. Ability to statically bind a program object to its caller for better performance

Answer: B

[More 000-972 Information](#)

**Related 000-972 Exams**

- [000-974](#) *Power Systems Technical Support for i*

---

- [000-223](#) *IBM System p Administrator*

---

- [000-377](#) *Test 000-377, IBM Web Sphere Application Server Network Deployment V7.0, Core Administration*

---

- [000-015](#) *IBM Maximo Asset Management V7.1 Implementation*

---

- [000-990](#) *Test 990, IBM Web Sphere Bus Modeler Adv V6.0, Bus Anl+Design*

---

- [000-417](#) *IBM Web Sphere Information Analyzer v8.0*

---

- [000-669](#) *SOA Fundamentals (2008)*

---

- [000-316](#) *IBM Web Sphere Integration Developer V6.1*

---

- [000-667](#) *IBM Test 667, Architectural Design of SOA Solutions*

---

- [000-913](#) *informix 4gl development*

---

- [000-936](#) *IBM Tivoli Access Manager for e-b business V6.1 Implementation*

---

- [000-431](#) *IBM Tivoli Storage Manager V5.5 Administration*

---

- [000-084](#) *Modular Systems High Performance Servers*

---

- [000-994](#) *Test994,IBM Web Sphere MQ V6.0,System Administration*

---

- [000-111](#) *IBMDistributed Systems Storage Solutions Version 7*

---

- [000-908](#) *Tivoli Monitoring V6.2 Implementation*

---

- [000-017](#) *Foundations of Tivoli process automation engine V7.1*

---

- [000-113](#) *IBM Storage Solution Design Entry/Midrange DS Series V1*

---

- [000-207](#) *High End Taps Solutions Version 5*

---

- [000-011](#) *IBM Tivoli AP Dependency+Discovery Mgr V7.1 Implementation*

---

**Other IBM Exams**

- |                                |                                |                                |                                |                                |                                |                                |                                |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| <a href="#"><u>COG-480</u></a> | <a href="#"><u>000-180</u></a> | <a href="#"><u>000-M34</u></a> | <a href="#"><u>LOT-981</u></a> | <a href="#"><u>000-903</u></a> | <a href="#"><u>000-m13</u></a> | <a href="#"><u>000-M50</u></a> | <a href="#"><u>000-915</u></a> |
| <a href="#"><u>000-M18</u></a> | <a href="#"><u>000-048</u></a> | <a href="#"><u>000-907</u></a> | <a href="#"><u>000-094</u></a> | <a href="#"><u>000-M62</u></a> | <a href="#"><u>000-514</u></a> | <a href="#"><u>000-297</u></a> | <a href="#"><u>000-285</u></a> |
| <a href="#"><u>000-792</u></a> | <a href="#"><u>000-858</u></a> | <a href="#"><u>000-918</u></a> | <a href="#"><u>000-894</u></a> |                                |                                |                                |                                |