

## 310-231 SUN Other Certifications

### SUN Sun Certified Developer for Java Web Services 5

**Practice Exam:** 310-231 Exams

**Exam Number/Code:** 310-231

**Exam Name:** Sun Certified Developer for Java Web Services 5

**Questions and Answers:** 91 Q&As

( [SUN Other Certifications](#) )



Exam : [310-231](#)

"Sun Certified Developer for Java Web Services 5", also known as 310-231 exam, is a SUN certification. With the complete collection of questions and answers, TestInside has assembled to take you through 91 Q&As to your 310-231 Exam preparation. In the 310-231 exam resources, you will cover every field and category in SUN Certification helping to ready you for your successful SUN Certification.

Quality and Value for the 310-231 Exam TestInside Practice Exams for SUN **SUN Other Certifications** Certification 310-231 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

#### **TestInside provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 310-231 Exam.

310-231 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the SUN Other Certifications product experts, included the current newest 310-231 examination questions.

3. 100% Guarantee to Pass Your SUN Other Certifications exam and get your SUN Other Certifications Certification. If you do not pass the SUN Certification 310-231 exam (Sun Certified Developer for Java Web Services 5) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

#### **use TestInside 310-231 Q&A ensure you pass the exam at your first try.**

TestInside professional provide SUN Other Certifications 310-231 the newest Q&A, completely covers 310-231 test original topic. With our complete SUN Other Certifications resources, you will minimize your SUN Other Certifications cost and be ready to pass your 310-231 tests on Your First Try, 100% Money Back Guarantee included!

[SUN 310-231](#) Test belongs to one of the SUN Other Certifications certified test, if needs to obtain the SUN Other Certifications certificate, you also need to participate in other related test, the details you may visit the [SUN Other Certifications](#) certified topic, in there, you will see all related SUN Other Certifications certified subject of examination.

#### **TestInside Testing Engine Features**

Comprehensive questions and answers about 310-231 exam

310-231 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

310-231 exam questions updated on regular basis

Same type as the certification exams, 310-231 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 310-231 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : SUN 310-231

Title : Sun Certified Developer for Java Web Services 5

1. }

Assume Reliable Messaging is used and the code is correct except for what is missing at line 10.

Which code fragment must be placed at line 10?

- A. Close the port object with `((Closeable)port).close();` after testing result is positive.
- B. Close the port with `port.close();`
- C. Closing the port object is optional, but `port.close();` will work.
- D. Close the port object with `((Closeable)port).close();`

Answer: D

2. Given the Java fragment and schema:

- 1. `!-- Java code fragment`
- 2. `public class PurchaseOrder{`
- 3. `public javax.xml.datatype.XMLGregorianCalendar orderDate;`
- 4. `}`
- 5. `!-- Schema fragment`
- 6. `<xs:complexType name="purchaseOrder">`
- 7. `<xs:sequence>`
- 8. `<xs:element name="orderDate" type="xs:anySimpleType"`
- 9. `minOccurs="0"/>`
- 10. `</xs:sequence>`
- 11. `</xs:complexType>`

Which two statements are true about .Net and WCF interoperability for this data? (Choose two.)

- A. The `GregorianCalendar` maps to an equivalent date type in both Java and .Net.
- B. .Net will generate code with the calendar as a string that functions as well as a date.
- C. .Net will generate code with the calendar as a string that is not type equivalent.
- D. Use of the `@XmlSchemaType` annotation causes .Net to properly map to a date.
- E. Casting in the case of WSIT services is an effective approach for the WCF client.

Answer: CD

3. Given:

- 1. `try { // Call Web service Operation`
- 2. `org.me.calculator.client.CalculatorWS port =`
- 3. `service.getCalculatorWSPort();`
- 4. `// TODO initialize WS operation arguments here`
- 5. `int i = 3;`
- 6. `int j = 4;`
- 7. `// TODO process result here`
- 8. `int result = port.add(i, j);`
- 9. `out.println("<p>Result: " + result);`
- 10.
- 11. `} catch (Exception ex) {`
- 12. `out.println("<p>Exception: " + ex);`

13. }

Assume Reliable Messaging is used and the code is correct except for what is missing at line 10.

Which code fragment must be placed at line 10?

- A. Close the port object with ((Closeable)port).close(); after testing result is positive.
- B. Close the port with port.close();
- C. Closing the port object is optional, but port.close(); will work.
- D. Close the port object with ((Closeable)port).close();

Answer: D

4. A student developer has created a new library of math functions to share with friends in a linear algebra class. The developer is having difficulty getting people to come over to the dorm to see the new code library, so he decides to deploy it as a Web service so that everyone can enjoy the features via the Internet. One of the functions has this WSDL definition:

```
<portType name="MyMathLib">
<operation name="incCtr">
<input message="tns:incCtr"/>
</operation>
</portType>
```

Which two statements are true about this Web service? (Choose two.)

- A. This is an asynchronous receive.
- B. This is an asynchronous send.
- C. The client must use SOAPFaultException to display any errors.
- D. It must send a SOAP fault back to the sender.
- E. It must NOT send a SOAP fault back to the sender.

Answer: BE

5. Which two statements are true about the role of XML schemas in Web services? (Choose two.)

- A. DTDs provide stricter data typing than XML schemas.
- B. XML schemas can be used to validate the organization of XML documents.
- C. XML schemas contain a vocabulary, content model and data types.
- D. DTDs are easier to map to Java than XML schemas, and so remain more popular.
- E. The W3C recommends that XML schemas be referred to as XSD.
- F. The W3C has designated that XML schemas be referred to as WXS.

Answer: BC

6. A team of developers is designing RESTful Web services for a new application.

What are three properties of the services? (Choose three.)

- A. They can be stateful.
- B. They can be stateless.
- C. Components communicate by exchanging representations of the resource.
- D. Components communicate by directly performing operations on the resource.
- E. They require WSDL service API definitions.
- F. Responses can be labeled as cacheable or non-cacheable.

Answer: BCF

7. The WSIT project implements a number of WS-\* specifications to aid developers in creating secure and interoperable services.

What are two parts of the WS-specifications? (Choose two.)

- A. WS-ReliableMessaging
- B. WS-Bootstrapping
- C. WS-Eventing
- D. WS-Policy
- E. WS-WSITrust

Answer: AD

8. A developer must describe a message that contains multiple parts using non-primitive data types.

Which two code fragments produce equivalent composite message structure definitions? (Choose two.)

A. <types>

```
<schema .... >
<complexType name="FOO" type="tns:FOOType"/>
<element name="FOOType">
.
.
.
</element >
<complexType name="BAR" type="tns:BARType"/>
<element name="BARType">
.
.
.
</element >
</schema>
</types>
<message name="FOO">
<part name="FOO" complexType="tns:FOO"/>
<part name="BAR" complexType="tns:BAR"/>
</message>
```

B. <types>

```
<schema .... >
<element name="FOO" type="tns:FOOType"/>
<complexType name="FOOType">
.
.
.
</complexType>
<element name="BAR" type="tns:BARType"/>
<complexType name="BARType">
.
.
.
</complexType>
</schema>
</types>
<message name="FOO">
<part name="FOO" element="tns:FOO"/>
<part name="BAR" element="tns:BAR"/>
</message>
```

C. <types>

```
<schema .... >
.
.
.
<complexType name="Composite">
<choice>
<element name="FOO" minOccurs="1" maxOccurs="1" type="tns:FOOType"/>
<element name="BAR" minOccurs="0" maxOccurs="unbounded" type="tns:BARType"/>
```

```

</choice>
</complexType>
</schema>
</types>
<message name="FOO">
<part name="composite" type="Composite"/>
</message>
D. <types>
<schema .... >
.
.
.
<complexType name="Composite">
<choice>
<element name="FOO" minOccurs="1" maxOccurs="1" type="tns:FOOType"/>
<element name="BAR" minOccurs="0" maxOccurs="unbounded" type="tns:BARType"/>
</choice>
</complexType>
</schema>
</types>
<message name="FOO">
<part name="composite" type="tns:Composite"/>
</message>

```

Answer: BD

9. According to the WS-I Basic Profile 1.1, which two statements are true about the targetNamespace attribute for xsd:schema elements that are children of WSDL 1.1 type element? (Choose two.)

- A. Its value must be valid unless it has xsd:import, xsd:annotation, or both as its only child elements.
- B. Its value must be empty unless it has xsd:import, xsd:annotation, or both as its only child elements.
- C. It should have same the value as the namespace attribute on the wsdl:import element in a document being imported.
- D. It must have same the value as the namespace attribute on the wsdl:import element in a document being imported.

Answer: AD

10. A developer is creating an XML schema using the xsd:all operator.

Given the code:

```

<types>
<schema targetNamespace="http://sun.cert/types"
xmlns:tns="http://sun.cert/types"
xmlns:xsd="http://www.w3.org/2001/XMLSchema">
<xsd:complexType name="Person">
<xsd:all>
<!-- insert code here -->
</xsd:all>
</xsd:complexType>
</schema>
</types>

```

Which two element definitions, when inserted into the given schema fragment, result in a correct schema type definition? (Choose two.)

- A. <xsd:element name="first" type="xsd:string"/>
- B. <xsd:element name="items" type="xsd:long" maxOccurs="5"/>
- C. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="1"/>
- D. <xsd:element name="first" type="xsd:string" minOccurs="0" maxOccurs="5"/>

E. <xsd:element name="last" type="xsd:string" minOccurs="1" maxOccurs="5"/>

F. <xsd:element name="ssn" type="xsd:string" minOccurs="1" maxOccurs="unlimited"/>

Answer: AC

11. out.println("<p>Exception: " + ex);

13. }

Assume Reliable Messaging is used and the code is correct except for what is missing at line 10.

Which code fragment must be placed at line 10?

A. Close the port object with ((Closeable)port).close(); after testing result is positive.

B. Close the port with port.close();

C. Closing the port object is optional, but port.close(); will work.

D. Close the port object with ((Closeable)port).close();

Answer: D

12. A team of developers is describing a set of endpoints in their new SOA application.

Given the WSDL extract:

```
<service name="InventoryServices">
<port name="PurchaseOrder" binding="tns:POBinding">
<soap:address location="http://192.168.0.2:8080/inventory"/>
</port>
<port name="Invoice" binding="tns:InvoiceBinding">
<soap:address location="http://192.168.0.2:8080/inventory"/>
</port>
</service>
```

Which statement is true about this WSDL extract?

A. The extract is WS-I Basic Profile 1.1 compliant because both port element names are different.

B. The extract is NOT WS-I Basic Profile 1.1 compliant because both port elements point to the same location.

C. The extract is WS-I Basic Profile 1.1 compliant because both port elements point to different binding elements.

D. The extract is NOT WS-I Basic Profile 1.1 compliant because it contains two port elements in the same service.

E. The extract is WS-I Basic Profile 1.1 conformant because both port element names are different.

F. The extract is WS-I Basic Profile 1.1 conformant because the port, binding, and service element combinations are unique.

Answer: B

13. A developer is analyzing an existing Web service with performance problems. The analysis reveals the service employs SOAP over HTTP. When the size of the encoded binary files grew with changing business requirements, the service slowed.

What are two effective solutions for this problem? (Choose two.)

A. Separating the XML and binary content with WS-Filtering implemented in WSIT will improve efficiency.

B. XML documents larger than 1 KB with binary encoding should be optimized.

C. WS-Addressing can ease congestion by routing messages over other protocols.

D. For existing services, the most effective solution is to increase the available bandwidth.

E. MTOM can reduce both processing and bandwidth required by SOAP with attachments.

Answer: BE

14. A company uses Web services to exchange mortgage and credit data as well as digital versions of associated documents. The data is confidential and it is common for the service and client to exchange applications, credit results, reports and more in a request/response format. Recently, the company has become concerned about the substantial cost of processing and message encryption with a PKI approach.

What can be done to cut costs?

A. use MTOM to optimize the messages and provide data confidentiality via XML Digital Signature

B. because of the weak adoption of WS-SecureConversation on Java platforms, consider using Kerberos

C. use HTTPS as it is both economical and adequate

D. use WS-SecureConversation and MTOM to reduce the processing overhead

Answer: D

15. A developer plans to refactor some of the company's existing Java EE 5 business services, moving them out of the existing monolithic application and into Web services.

What are two benefits of exposing existing Java EE 5 functionality as a Web service? (Choose two.)

- A. improved manageability
- B. more finely-grained
- C. enhanced security
- D. loose coupling of functionality
- E. self-describing
- F. automatic session management

Answer: DE

### [More 310-231 Information](#)

#### **Related 310-231 Exams**

<a href="#">310-061</a>	<i>SUN CERTIFIED ENTERPRISE ARCHITECT FOR J2EE™. PATR III</i>
<a href="#">310-610</a>	<i>EDS Certified Sun Fire Workgroup Administrator</i>
<a href="#">310-230</a>	<i>Sun Certified Developer for Java Web Services</i>
<a href="#">310-345</a>	<i>Sun Certified System Administrator for Sun Cluster 3.2</i>
<a href="#">310-810</a>	<i>Sun Certified MySQL 5.0 Database Administrator Part 1</i>
<a href="#">310-600</a>	<i>SUN SIGMA BLACK BELT CERTIFICATION</i>
<a href="#">310-052</a>	<i>Sun Certified Enterprise Architect for J2EE 5</i>
<a href="#">310-051</a>	<i>SUN CERTIFIED ENITRPRISE ARCHITECT FOR J2EE(tm)TECHNOLOGY</i>
<a href="#">310-620</a>	<i>EDS Certified Sun Enterprise 10K Server Administrator</i>
<a href="#">310-105</a>	<i>Sun Certified Solaris Associate</i>
<a href="#">310-066</a>	<i>Upgrade EXAM for the Sun Certified for Java Programmer.SE6.0</i>
<a href="#">310-203</a>	<i>Sun Certified System Amin for Solaris 10 OS Upgrade</i>
<a href="#">310-811</a>	<i>Sun Certified MySQL 5.0 Database Administrator Part II</i>
<a href="#">310-019</a>	<i>Sun Certified Associate.Java Platform.Se. Exam Version 1.0</i>
<a href="#">310-330</a>	<i>Sun Certified Systems Installer for Sun Cluster 3.X</i>
<a href="#">310-231</a>	<i>Sun Certified Developer for Java Web Services 5</i>
<a href="#">412-600</a>	<i>SUN Certified OpenOffice.org Writer Specialist</i>
<a href="#">310-400</a>	<i>Sun Certified Integrator for Indentity Manager 7.1</i>
<a href="#">310-062</a>	<i>Sun Certified Enterprise Architect for the Java Platform, Enterprise Edition 5</i>
<a href="#">310-150</a>	<i>SUN CERTIFIED BACKUP AND RECOVERY ENGINEER</i>

#### **Other SUN Exams**

<a href="#">310-302</a>	<a href="#">310-880</a>	<a href="#">310-036</a>	<a href="#">310-150</a>	<a href="#">310-878</a>	<a href="#">310-202</a>	<a href="#">310-220</a>	<a href="#">212-019</a>
<a href="#">212-055</a>	<a href="#">310-081</a>	<a href="#">310-055</a>	<a href="#">310-540</a>	<a href="#">310-016</a>	<a href="#">310-100</a>	<a href="#">310-200</a>	<a href="#">310-053</a>
<a href="#">310-035</a>	<a href="#">310-090</a>	<a href="#">310-061</a>	<a href="#">310-876</a>				