

642-821 CCNP

Cisco Building Cisco Remote Access Networks (BCRAN)


Practice Exam: 642-821 Exams

Exam Number/Code: 642-821

Exam Name: Building Cisco Remote Access Networks (BCRAN)

Questions and Answers: 244 Q&As

([CCNP](#))



Exam : [642-821](#)

"Building Cisco Remote Access Networks (BCRAN)", also known as 642-821 exam, is a Cisco certification. With the complete collection of questions and answers, TestInside has assembled to take you through 244 Q&As to your 642-821 Exam preparation. In the 642-821 exam resources, you will cover every field and category in Cisco Certification helping to ready you for your successful Cisco Certification.

Quality and Value for the 642-821 Exam TestInside Practice Exams for Cisco **CCNP** Certification 642-821 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 642-821 Exam.

642-821 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the CCNP product experts, included the current newest 642-821 examination questions.

3. 100% Guarantee to Pass Your CCNP exam and get your CCNP Certification.

If you do not pass the Cisco Certification 642-821 exam (Building Cisco Remote Access Networks (BCRAN)) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 642-821 Q&A ensure you pass the exam at your first try.

TestInside professional provide CCNP 642-821 the newest Q&A, completely covers 642-821 test original topic. With our complete CCNP resources, you will minimize your CCNP cost and be ready to pass your 642-821 tests on Your First Try, 100% Money Back Guarantee included!

[Cisco 642-821](#) Test belongs to one of the CCNP certified test, if needs to obtain the CCNP certificate, you also need to participate in other related test, the details you may visit the [CCNP](#) certified topic, in there, you will see all related CCNP certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 642-821 exam

642-821 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

642-821 exam questions updated on regular basis

Same type as the certification exams, 642-821 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 642-821 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Cisco 642-821

Title : CCNP's Building Cisco Remote Access Networks (BCRAN)

1. Which two of the following events will occur when the router command `backup load 60 5` is used? (Choose two.)

- A. The backup link activates when the primary link exceeds 60 percent of bandwidth.
- B. The backup link activates when the primary link exceeds 60 kbps.
- C. The backup link deactivates when the primary link falls to 5 percent bandwidth.
- D. The backup link deactivates when the combined load falls to 5 percent bandwidth.
- E. The backup link deactivates when the combined load falls to 5 kbps.

Answer: AD

2. Which IPSEC protocol negotiates security associations?

- A. AH
- B. ESP
- C. IKE
- D. SSH

Answer: C

3. What does the command `frame-relay traffic-rate 56000 128000` accomplish as configured on the indicated router?

- A. It enables the average and peak rate for traffic received on the interface.
- B. It enables the average and peak rate for traffic sent out a virtual circuit.
- C. It does nothing until the REMOTE class is assigned to a sub-interface.
- D. It configures the interface default bandwidth and peak rate for traffic sent.

Answer: B

4. A network administrator would like to use an existing ISDN line as a backup for a Frame Relay line connected on interface `serial0`.

Which statement is correct based on the following configuration of the Cisco Router?

```
interface serial0
```

```
ip address 192.168.10.1 255.255.255.0
```

```
backup interface bri0
```

```
backup delay 5 10
```

```
interface bri0
```

```
ip address 192.168.11.2 255.255.255.0
```

```
dialer idle-timeout 900
```

```
dialer-group 1
```

- A. The ISDN BRI line will go to "standby" mode 900 seconds after the serial interface reactivates.
- B. The ISDN BRI line will go to "standby" mode 10 seconds after the serial interface reactivates.
- C. The ISDN BRI line will deactivate when the primary line reaches 10% utilization.
- D. The ISDN BRI line will go to standby mode after 900 seconds, but will reactivate if the primary line reaches 10% utilization

Answer: B

5. Given the configuration command shown in the exhibit, which statement is true?

- A. All incoming TCP packets will be compressed
- B. All outgoing TCP packets will be compressed

- C. Incoming TCP packets will be compressed only if outgoing TCP packets on the same interface are compressed
- D. Outgoing TCP packets will be compressed only if incoming TCP packets on the same interface are compressed
- E. All incoming and outgoing TCP packets will be compressed.

Answer: D

6. Which two queuing methods allow for strict priority queuing of delay sensitive applications? (Choose two.)

- A. Flow-based WFQ
- B. Class-based WFQ
- C. LLQ
- D. CQ
- E. PQ

Answer: CE

7. Single choice

2. Which two of the following events will occur when the router command backup load 60 5 is used? (Choose two.)

- A. The backup link activates when the primary link exceeds 60 percent of bandwidth.
- B. The backup link activates when the primary link exceeds 60 kbps.
- C. The backup link deactivates when the primary link falls to 5 percent bandwidth.
- D. The backup link deactivates when the combined load falls to 5 percent bandwidth.
- E. The backup link deactivates when the combined load falls to 5 kbps.

Answer: AD

8. Refer to the output of the debug frame-relay lmi command shown in the graphic, what is the status of DLCI 100?

- A. active
- B. init
- C. inactive
- D. down
- E. deleted

Answer: C

9. Which statement is true about payload compression?

- A. Payload compression can be used in conjunction with link compression.
- B. The payload compression algorithm uses Predictor or STAC to compress traffic into another data link layer such as PPP.
- C. Payload compression is appropriate for virtual network services such as Frame Relay and ATM.
- D. With payload compression the complete packet is compressed and the switching information in the header is not available.

Answer: C

10. Based on the above configuration, which statement is true?

- A. The backup interface will be used when traffic reaches 80 kbps on the primary interface.
- B. The backup interface will be disabled when the combined load on the primary and backup interfaces is less than 10%
- C. The backup interface will be disabled when the combined load on the primary and backup interfaces is less than 80 kbps.
- D. The backup interface will be disabled when the load on the primary interface is less than 10%.
- E. The backup interface will be disabled when the load on the primary interface is less than 80 kbps.

Answer: B

11. By default, what is the maximum percentage of bandwidth CBWFQ allocates for all classes of traffic?

- A. 25
- B. 50
- C. 75

D. 90

Answer: C

12. What are three LCP options that are supported by PPP? (Choose three.)

- A. authentication
- B. multilink
- C. protocol multiplexing
- D. compression
- E. dynamic address allocation
- F. dynamic address translation

Answer: ABD

13. Refer to the diagram. Host X is unable to establish an ISDN connection with R1 using PPP. Which commands can be used on R1 to troubleshoot the LCP and NCP negotiation between these two hosts? (Choose two.)

- A. debug ppp negotiation
- B. debug ppp authentication
- C. debug dialer
- D. debug isdn q931
- E. debug isdn q921

Answer: AB

14. Which two commands assign multiple ISDN BRI interfaces to a single hunt group? (Choose two.)

- A. dialer-group
- B. multilink ppp
- C. interface dialer
- D. dialer hunt-group
- E. dialer rotary-group

Answer: CE

15. Which two features are enhancements that IKE provides for IPsec? (Choose two.)

- A. supports multicast traffic
- B. allows the changing of encryption keys during an IPsec session
- C. allows the SA to have a specified lifetime
- D. supports multiple protocols
- E. allows dynamic authentication of peers
- F. eliminates the need to manually specify all the IPsec security parameters in the crypto maps at both peers.

Answer: BC

16. Which two statements are true about the use of the backup load 65 10 command on a router? (Choose two.)

- A. The secondary line will terminate when the load of the primary line drops to 10% of the bandwidth of the primary line.
- B. The secondary line will terminate when the aggregate load of the primary and backup lines drops to 10% of the primary line bandwidth
- C. The secondary line will come up 10 seconds after traffic on the primary line reaches 65% of the bandwidth of the primary line.
- D. The secondary line will come up when the traffic on the primary line reaches 65% of the bandwidth of the primary line.
- E. The backup interface will come up 65 seconds after the primary link goes down.
- F. The secondary interface will terminate the connection 10 seconds after the primary link comes up.

Answer: BD

17. Given the partial configuration, what function does the command dialer watch-group 8 have?

- A. Any IP traffic, except OSPF traffic, will cause interface BRI0 to dial RouterB.

- B. When the watched route, 172.22.53.0/24, is removed from the routing table and there is no other valid route, dialer watch then initiates a call to RouterB.
- C. When the watched route, 172.22.53.0/24, is removed from the routing table, regardless of whether there is another valid route pointing to an interface other than interface BRI0, dialer watch initiates the call to RouterB.
- D. When the load threshold is met and any IP traffic, except OSPF traffic, is destined for 172.22.53.0/24 network, the dialer watch will initiate the call to RouterB.

Answer: B

18. Which router command specifies the RADIUS server that will authenticate dial-up clients?

- A. aaa radius server
- B. radius-server host
- C. ip aaa radius host
- D. aaa authentication radius-server

Answer: B

19. What will happen to the priority queue if the queue is full and more priority queue traffic is matched?

- A. Priority traffic will be restrained to its allocated queue size, and packets will be dropped.
- B. WRED will start dropping packets from other queues.
- C. Priority queue packets will be placed in the class-default queue.
- D. WRED will start dropping packets from the priority queue.

Answer: A

20. Which three items are correct about the IPSec ESP security protocol? (Choose three.)

- A. Authentication is mandatory and the whole packet including the header is authenticated.
- B. Authentication is optional and the outer header is not authenticated.
- C. IP packet is expanded by transport mode:37 bytes(3DES) or 63 bytes(AES); tunnel mode:57 bytes(3DES) or 83 bytes(AES)
- D. IP packet is expanded by: transport mode 24 bytes; tunnel mode 44 bytes
- E. The ESP security protocol provides data confidentiality.
- F. The ESP security protocol provides no data confidentiality.

Answer: BCE

[More 642-821 Information](#)

Related 642-821 Exams

[642-892](#) *Composite Exam*

[642-901](#) *Building Scalable Cisco Internetworks*

[642-825](#) *Implementing Secure Converged Wide Area Networks*

[642-812](#) *Building Cisco Multilayer Switched Networks*

[642-845](#) *Optimizing Converged Cisco Networks*

[642-801](#) *Building Scalable Cisco Internetworks(BSCI)*

[642-811](#) *Building Cisco Multilayer Switched Networks (BCMSN)*

[642-891](#) *Composite Exam*

[642-746](#) *Implementing Cisco Unified Wireless Mobility Services*

[642-821](#) *Building Cisco Remote Access Networks (BCRAN)*

[642-831](#) *Cisco Internetwork Troubleshooting (CIT)*

[642-902](#) *implementing cisco ip routing*

[642-813](#) *implementing cisco switched networks*

[642-832](#) *Troubleshooting and maintaing cisco ip networks*

Other Cisco Exams

<u>646-202</u>	<u>642-655</u>	<u>642-515</u>	<u>642-974</u>	<u>640-822</u>	<u>640-553</u>	<u>642-651</u>	<u>642-081</u>
<u>642-531</u>	<u>650-180</u>	<u>642-551</u>	<u>642-591</u>	<u>350-025</u>	<u>642-971</u>	<u>642-552</u>	<u>642-567</u>
<u>642-481</u>	<u>646-272</u>	<u>350-029</u>	<u>350-030</u>				