920-209 NCDS

Nortel NCDS-Multiservice Switch 7400/15000/20000



Practice Exam: 920-209 Exams
Exam Number/Code: 920-209
Exam Name: NCDS-Multiservice Switch 7400/15000/20000
Questions and Answers: 63 Q&As
(NCDS)

Exam : ***920-209***

"NCDS-Multiservice Switch 7400/15000/20000", also known as 920-209 exam, is a Nortel certification.With the complete collection of questions and answers, TestInside has assembled to take you through 63 Q&As to your 920-209 Exam preparation. In the 920-209 exam resources, you will cover every field and category in Nortel Certification helping to ready you for your successful Nortel Certification.

Quality and Value for the 920-209 Exam TestInside Practice Exams for Nortel ***NCDS*** Certification 920-209 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.
After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 920-209 Exam.
920-209 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the NCDS product experts, included the current newest 920-209 examination questions.

3. 100% Guarantee to Pass Your NCDS exam and get your NCDS Certification.
If you do not pass the Nortel Certification 920-209 exam (NCDS-Multiservice Switch 7400/15000/20000) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 920-209 Q&A ensure you pass the exam at your first try.

TestInside professional provide NCDS 920-209 the newest Q&A, completely covers 920-209 test original topic. With our complete NCDS resources, you will minimize your NCDS cost and be ready to pass your 920-209 tests on Your First Try, 100% Money Back Guarantee included!

Nortel 920-209 Test belongs to one of the NCDS certified test, if needs to obtain the NCDS certificate, you also need to participate in other related test, the details you may visit the NCDS certified topic, in there, you will see all related NCDS certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 920-209 exam

920-209 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

920-209 exam questions updated on regular basis

Exam : Nortel 920-209

Title : NCDS-Multiservice Switch 7400/15000/20000

1. You have determined how each of the customer traffic types map to Multiservice Switch services. You have also calculated the amount of traffic within the network. What is your next step?

A. Choose FP types.

B. Engineer the backbone.

C. Check CP requirements.

D. Verify your performance metrics.

Answer: B

2. You are in the process of designing a new network. You are gathering information on the communities of interest profiles and the application requirements. In which stage in the engineering cycle are you currently involved?

A. feedback

B. internal inputs

C. external inputs

D. network design

Answer: B

3. The design and implementation of any networking product imposes constraints on the ability of the network to support the required level of service. Which statement is true?

A. Nodal engineering involves configuring enough bandwidth in the path between each pair of sites to support the traffic.

B. Backbone engineering has enough ports to support the required number of access lines, that is, hardware engineering.

C. Backbone engineering involves verifying that the backbone has sufficient processor and memory resources to accept the user traffic and switch it to its destination, that is, service engineering.

D. Backbone engineering involves calculating the amount of traffic that will flow between each pair of nodes (based on the application information and COI from the internal inputs/requirements step of the engineering process).

Answer: D

4. Engineering is a continuous process and requires management of the network topology. Which three reasons are important to gather feedback from the network, applications and users? (Choose three.)

A. To ensure the desired level of service is being met and the assumptions about transactions were valid.

B. This enables the network operator to determine trends in the network and to quantify it's cost over time.

C. All gathered data has to be fed back into the requirements step of the engineering cycle to enable fine-tuning of network performance by repeating the network design step -- completing the engineering cycle.

D. Because of the difficulty that can be encountered in gathering information in the requirements phase (before network design), the design may be incorrect due to the inaccuracy of the assumptions that were made.

Answer: ACD

5. A topology that consists of a full mesh core of relatively few nodes with larger numbers of edge nodes that are dual-homed to the core nodes. Why is this a good compromise?

A. low trunk cost

B. support for parallel clusters

C. full redundancy with a maximum of three hops per connection

D. a worldwide carrier network consisting of a number of clusters connected by continental links
Answer: C

6. During the process of designing a new network you need to estimate the backbone requirements for the network. In which part of the engineering cycle would you be involved if you are estimating the backbone requirements?
A. feedback
B. internal inputs
C. external inputs
D. network design
Answer: D

7. Reliability in a network can be accomplished through network level controls and nodal level controls. Which statement is correct?
A. Network level controls operate in real-time (in cell-times at the frame/cell level).
B. Node level controls operate in near real time, that is, in propagation times across the network and call duration times.
C. Network level controls are implemented with admission controls for new connections, network routing systems and flow control rate adaptation schemes.
D. Network level controls are implemented with queues supporting different priority levels, sophisticated queue management capabilities and rate controls to provide policing of user traffic.
Answer: C

8. The level of service for a customer can be measured in many ways. Which three items are measurements for level of service? (Choose three.)
A. availability
B. throughput
C. link utilization
D. response time
E. rate enforcement
Answer: ABD

9. Path load balancing is used to increase PNNI network reliability. Which three statements are correct? (Choose three.)
A. Multiservice Switch supports two load balancing techniques.
B. Path load balancing increases network stability in case of link or node failure.
C. Load balancing is intended to produce a balanced utilization of network resources.
D. Requirements include finding multiple diverse acceptable paths and selecting one of those paths.
Answer: BCD

10. You are in the process of designing a new network. You need to determine the backbone bandwidth requirements of the network. One application has network traffic of 2000 Kbps, the network packet consists of a 512 byte payload and 6 bytes of overhead. What are the bandwidth requirements for the backbone for this application?
A. 2023 Kbps
B. 2340 Kbps
C. 2347 Kbps
D. 2006 Kbps
Answer: A

920-141	NNCDS-Communication Server(cs)1000 release 4.0
920-256	Nortel VPN Router Ris.7.0 Solutions(NCDS)
920-136	NCDS - Ethernet Switching Solutions
920-203	nncds passport 7000/15000
920-242	nncds-contivity vpn switch
920-125	NNCDS Succession BCM 3.0 Exam
920-209	NCDS-Multiservice Switch 7400/15000/20000
920-124	NNCDS -Ethernet Switching Exam

Other Nortel Exams

920-134	920-231	922-060	920-241	920-216	920-453	920-226	920-430
920-121	920-452	920-176	920-433	920-345	920-162	922-062	920-340
920-127	920-203	920-804	920-333				