

920-221 NCSS

Nortel Nortel Converged Campus ERS Installation & Configuration


Practice Exam: 920-221 Exams

Exam Number/Code: 920-221

Exam Name: Nortel Converged Campus ERS Installation & Configuration

Questions and Answers: 59 Q&As

([NCSS](#))



Exam : [920-221](#)

"Nortel Converged Campus ERS Installation & Configuration", also known as 920-221 exam, is a Nortel certification. With the complete collection of questions and answers, TestInside has assembled to take you through 59 Q&As to your 920-221 Exam preparation. In the 920-221 exam resources, you will cover every field and category in Nortel Certification helping to ready you for your successful Nortel Certification.

Quality and Value for the 920-221 Exam TestInside Practice Exams for Nortel **NCSS** Certification 920-221 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

TestInside provide the professional Q&A.

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 920-221 Exam.

920-221 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the NCSS product experts, included the current newest 920-221 examination questions.

3. 100% Guarantee to Pass Your NCSS exam and get your NCSS Certification.

If you do not pass the Nortel Certification 920-221 exam (Nortel Converged Campus ERS Installation & Configuration) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

use TestInside 920-221 Q&A ensure you pass the exam at your first try.

TestInside professional provide NCSS 920-221 the newest Q&A, completely covers 920-221 test original topic. With our complete NCSS resources, you will minimize your NCSS cost and be ready to pass your 920-221 tests on Your First Try, 100% Money Back Guarantee included!

[Nortel 920-221](#) Test belongs to one of the NCSS certified test, if needs to obtain the NCSS certificate, you also need to participate in other related test, the details you may visit the [NCSS](#) certified topic, in there, you will see all related NCSS certified subject of examination.

TestInside Testing Engine Features

Comprehensive questions and answers about 920-221 exam

920-221 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

920-221 exam questions updated on regular basis

Same type as the certification exams, 920-221 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 920-221 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Nortel 920-221

Title : Nortel Converged Campus ERS Installation & Configuration

1. You are installing an Ethernet Routing Switch 5500 and you have ensured that environmental and electrical requirements are satisfied on the Ethernet Routing Switch. Which is your first step for installation?

- A. Follow Electrical Static Discharge (ESD) procedures.
- B. Mount switch securely in rack or to the wall.
- C. Provide a console terminal.
- D. Check the software and diagnostic image versions.

Answer: A

2. You are using the Java Device Manager to modify the Management Information Base (MIB) variables in the Ethernet Routing Switch 8600. Which protocol does the Java Device Manager use to make this modification?

- A. Border Gateway Protocol (BGP)
- B. Dynamic Host Configuration Protocol (DHCP)
- C. Simple Network Management Protocol (SNMP)
- D. Transmission Control Protocol (TCP)

Answer: C

3. Using the Command Line Interface, how do you change an IP address on the Ethernet Routing Switch 8600 switch?

- A. Use the VLAN Manager.
- B. Delete and recreate the IP address.
- C. Run the ipchange command.
- D. Reset the switch and then configure the address again.

Answer: B

4. You are using the Nortel Network Command Line Interface (NNCLI) to modify a VLAN or a port. Which NNCLI command mode are you using?

- A. Global Configuration Mode
- B. Interface Configuration Mode
- C. Privileged EXEC Mode
- D. Router Configuration Mode

Answer: B

5. Which set of procedures will correctly upgrade the boot monitor on the Ethernet Routing Switch 8600?

- A. Copy the new image to flash.
Boot the new image.
- B. Copy the new image to flash.
Modify the boot choice for run-time image.
Boot the new image.
- C. Upgrade the backup CPU.
Switch over.
Upgrade the remaining CPU.
Boot the new image.

D. Modify the boot choice for run-time image.

Boot the new image

Answer: A

6. You can use the User Interface (UI) button on the Ethernet Routing Switch 5500 to temporarily reset a switch to the default IP address. Which two statements are true about the default IP address set via the UI button? (Choose two.)

A. The default IP address overrides the IP address currently in use by the switch stack.

B. The default IP address overwrites the onfigured IP address settings that are set via console, Command Line Interface (CLI), or Web.

C. The default IP address changes if there is a change in the state of the switch, such as if the switch joins or leaves a stack.

D. The default IP address is saved in NVRAM across resets of the switch/stack.

Answer: AC

7. A customer would like to configure an IP address for an existing VLAN on an Ethernet Routing Switch 5510. You use the following Command Line Interface (CLI) command sequence:

From the initial CLI prompt, enter privilege mode, enter config mode, enter config-if mode for the VLAN interface. Enter the command, "ip address".

What information do you enter next?

A. Enter the appropriate IP address of the backup CPU.

B. Enter the appropriate IP address and subnet mask in dotted decimal notation.

C. Enter the appropriate IP address for the out-of-band management port.

D. Enter the appropriate IP address for the in-band management port.

Answer: B

8. A customer is initially configuring an Ethernet Routing Switch 8300 to connect Internet Telephones. The management tasks will be performed on different subnets. Which two parameters must first be set to allow the switch to be accessed remotely for management purposes? (Choose two.)

A. BootP request mode

B. default gateway

C. management VLAN

D. IP address/subnet mask

Answer: BD

9. If you do not know the IP address of an Ethernet Routing Switch 5510, how can you upload code?

A. Use Telnet.

B. Use Console Access.

C. Use the Web browser.

D. Use the Java Device Manager.

Answer: B

10. Which two statements are true about Power over Ethernet (PoE)? (Choose two.)

A. PoE requires a significant increase in power capacity.

B. PoE enables cooling systems and load-sharing power supplies.

C. PoE provides increased power, resiliency, and redundancy at low cost.

D. PoE is used to power IP telephones, Web cameras, and access points.

Answer: AD

11. A customer needs to install a new Ethernet Routing Switch 2550T on the 172.16.5.0/24 network, but does not have a console cable available. The customer will attempt to set the IP address by using Telnet to connect to the switch. Which two statements are correct? (Choose two.)

A. It is not possible to connect to a switch by using Telnet if you have not set the IP address through the console interface first.

- B. The switch will first attempt to use BootP to acquire an IP address, and when that fails it will use the IP address 192.168.1.1/24.
- C. The customer must first configure the PC to use an address on the 192.168.1.0/24 network before attempting to connect to the switch.
- D. The customer must set the switch to use the temporary address of 192.168.192.168 by pressing the User Interface button on the front of the ESR 2550T.

Answer: BC

12. With Release 4.0+ software on the Ethernet Routing Switch (ERS) 8300, you are required to have an Advanced Routing License to enable certain features. Which two statements are true about the Advanced Routing License process and supported features for the ERS 8300? (Choose two.)

- A. The Advanced Routing License supports SMLT, VRRP, and OSPF.
- B. The Advanced Routing License supports SMLT, VRRP, OSPF, PIM-SM, and SLPP.
- C. To protect against security breaches, the ERS 8300 lets you define only a primary path for the license file.
- D. To protect against system flash failures, the ERS 8300 lets you define a primary, secondary, and tertiary path for the license file.

Answer: AD

13. An engineer needs to assign an IP address of 172.25.10.36 to an Ethernet Routing Switch 8600 switch with a subnet mask of 255.255.255.192. Which Command Line Interface (CLI) command should the engineer use?

- A. config bootconfig set ip 172.25.10.36/26
- B. config bootconfig set ip 172.25.10.36/27
- C. config bootconfig net mgmt ip 172.25.10.36/27
- D. config bootconfig net mgmt ip 172.25.10.36/26

Answer: D

14. A customer is configuring stacking on the Ethernet Routing Switch 4500. Which two statements are true about how to connect the stacks? (Choose two.)

- A. To select a unit as a base unit, move the Unit Select switch to Base.
- B. The Cascade Down connector is used to connect a switch to the next unit in the stack through a cascade cable.
- C. The Cascade Up connector provides an attachment point that accepts a cascade cable connection from another unit in the stack.
- D. For the stack to form, configure two associated units as the base units.

Answer: BC

[More 920-221 Information](#)

Related 920-221 Exams

[920-803](#) Nortel technology standards and protocol for ip telephony solutions

[922-097](#) Comm.Server 1000 Upgrades to RIs.5.0 for Technicians

[920-250](#) nncss-passport 8600

[922-096](#) Comm.Server 1000 RIs.5.0 Branch Office Install & Comm.

[920-322](#) nncss succession 1000/1000m rls 3.0 db for technicians

[922-093](#) Communication Server 1000 RIs.5.0 System Admin & Mgmt

[922-095](#) Communication Server 1000E RIs.5.0 Install & Commissioning

[920-215](#) nncss-passport 7000/15000 exam

[920-331](#) Mommunication Server 1000 RIs.5.0 Database Administrator

[920-326](#) nncds-symposium contact center portfolio

[920-330](#) Mommunication Server 1000 RIs.5.0 IP Networking Design

[920-481](#) CallPilot ris.5.0 Unified Messaging

920-460 ncse wireless lan

920-138 NNCSS Succession 1000/1000MRis.3.0 Exam

920-160 nncss-communication server(cs)1000 RIs.4.0 Hardware I&M

920-118 NNCSS-Symposium Call Center TAPVAgent install & Maint

920-172 NCSS-Nortel Communication Control Toolkit Ris.6.0

920-251 nncss-alteon

920-332 Mommunication Server 1000 Ris.5.0 Install & Commissioning

920-233 NCSS - Nortel VPN Router (Contivity)Ris.6.0

Other Nortel Exams

920-254

920-482

920-469

920-161

920-260

920-505

922-080

922-107

920-124

922-060

920-172

922-072

920-234

922-108

920-341

920-463

920-170

920-452

920-215

920-252