

## 920-328 Other Nortel Certification Nortel MCS 5100 4.0 Planning & Engineering


**Practice Exam:** 920-328 Exams

**Exam Number/Code:** 920-328

**Exam Name:** MCS 5100 4.0 Planning & Engineering

**Questions and Answers:** 60 Q&As

( [Other Nortel Certification](#) )



Exam : [920-328](#)

"MCS 5100 4.0 Planning & Engineering", also known as 920-328 exam, is a Nortel certification. With the complete collection of questions and answers, TestInside has assembled to take you through 60 Q&As to your 920-328 Exam preparation. In the 920-328 exam resources, you will cover every field and category in Nortel Certification helping to ready you for your successful Nortel Certification.

Quality and Value for the 920-328 Exam TestInside Practice Exams for Nortel **Other Nortel Certification** Certification 920-328 are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development.

### **TestInside provide the professional Q&A.**

1. We offer free update service for three month.

After you purchase our product, we will offer free update in time for three month.

2. High quality and Value for the 920-328 Exam.

920-328 simulation test questions, including the examination question and the answer, complete by our senior IT lecturers and the Other Nortel Certification product experts, included the current newest 920-328 examination questions.

3. 100% Guarantee to Pass Your Other Nortel Certification exam and get your Other Nortel Certification Certification. If you do not pass the Nortel Certification 920-328 exam (MCS 5100 4.0 Planning & Engineering) on your first attempt using our TestInside testing engine and pdf file, we will give you a FULL REFUND of your purchasing fee.

### **use TestInside 920-328 Q&A ensure you pass the exam at your first try.**

TestInside professional provide Other Nortel Certification 920-328 the newest Q&A, completely covers 920-328 test original topic. With our complete Other Nortel Certification resources, you will minimize your Other Nortel Certification cost and be ready to pass your 920-328 tests on Your First Try, 100% Money Back Guarantee included!

[Nortel 920-328](#) Test belongs to one of the Other Nortel Certification certified test, if needs to obtain the Other Nortel Certification certificate, you also need to participate in other related test, the details you may visit the [Other Nortel Certification](#) certified topic, in there, you will see all related Other Nortel Certification certified subject of examination.

### **TestInside Testing Engine Features**

Comprehensive questions and answers about 920-328 exam

920-328 exam questions accompanied by exhibits

Verified Answers Researched by Industry Experts and almost 100% correct

920-328 exam questions updated on regular basis

Same type as the certification exams, 920-328 exam preparation is in multiple-choice questions (MCQs).

Tested by multiple times before publishing

Try free 920-328 exam demo before you decide to buy it in Test-Inside.com.

Note: This pdf demo do not include the question's picture.

Exam : Nortel 920-328

Title : MCS 5100 4.0 Planning & Engineering

1. A customer has a small remote office being serviced by an MCS 5100 3.0 system. They are planning to install a Public Switched Telephone Network (PSTN) Gateway. They have chosen the SIP FXO Gateway (Mediatix 1204) for this remote office.

What are two reasons that the customer would have chosen the SIP FXO Gateway for this remote office? (Choose two.)

- A. They only have analog PSTN trunking capabilities available.
- B. They require a direct connection to a Nortel Networks DMS 100 switch.
- C. The remote office needs to interface with an external H.323 Gatekeeper.
- D. There are NOT enough users at the remote office to make a SIP PRI Gateway economically viable.

Answer: AD

2. Given the following information:

A customer has a Multimedia Communication Server (MCS) 5100 Rls. 4.0 system with the required functional components and a SIP PRI Gateway.

All users have the Multimedia PC Client installed on their PCs for their telephony and multimedia services.

They require that all users have access to Meet Me conferencing services with no limitation on the number of participants that a single conference can support.

Assume that all users have been assigned a default service package that allows Meet Me conferencing.

Which recommendation should be made to satisfy their requirements?

- A. Install a SIP Audio Server in the MCS 5100 system.
- B. Install a Media Application Server in the MCS 5100 system.
- C. Update the service package to remove the limitation of 10 supported participants on a conference call.
- D. Install a SIP Audio Server or a Media Application Server in the MCS 5100 Rls. 4.0 system, because either can support the required Meet Me conferencing services.

Answer: B

3. A customer has just installed an Media Gateway 3200 to act as a signaling and media gateway between a SIP VoIP domain and a system using the Integrated Services Digital Network (ISDN) Primary Rate Interface (PRI/Q.931).

How does the Media Gateway 3200 fulfill the moving of voice traffic between these domains?

- A. It converts packet-based voice streams to circuit-based voice streams.
- B. It negotiates SIP time slots and dynamically allocates them to the ISDN PRI.
- C. It sends SIP signaling to the Session Manager for requests on behalf of the ISDN PRI.
- D. It provides Time Division Multiplexing (TDM) on both the SIP and ISDN PRI sides for port mapping.

Answer: A

4. A customer has purchased a Multimedia Communication Server (MCS) 5100 Rls. 4.0 system. They want to use Ad Hoc and Meet Me conferencing services while minimizing costs.

Which server configuration should be recommended?

- A. One Media Application Server
- B. Two Media Application Servers
- C. One H.323 Conference Server
- D. Two H.323 Conference Servers

Answer: B

5. A customer has a Multimedia Communication Server (MCS) 5100 RIs. 0 system with all the necessary components providing telephony services to its users.

To bill them for the services provided, how is the required billing information delivered to the back-end billing system via File Transfer Protocol (FTP)?

A. The raw billing data is sent to the System Manager, which formats and stores the data on the Database Manager before transporting it via FTP to the back-end billing system.

B. The raw billing data is sent to the Session Manager, which formats and stores the data on the Database Manager before transporting it via FTP to the back-end billing system.

C. The raw billing data is sent to the System Manager and then it is sent to the Accounting Manager, which formats and stores the data before transporting it via FTP to the back-end billing system.

D. The raw billing data is sent to the Session Manager and then it is sent to the Accounting Manager, which formats and stores the data before transporting it via FTP to the back-end billing system.

Answer: D

6. A customer with a Multimedia Communication Server (MCS) 5100 RIs. 4.0 system wants to have full redundancy for an IP Client Manager (IPCM) Server. The first level of redundancy is achieved by deploying two IPCM servers.

What is the component that provides the second level of redundancy in case both IPCM servers fail?

A. Client Adapter

B. System Manager

C. Multimedia PC Client

D. Provisioning Manager

Answer: C

7. Within a Multimedia Communication Server (MCS) 5100 RIs. 4.0 system, the Media Concentration Center (MCC) hosts the Media Application Server and the Border Control Point.

What should this Level-3 site be located close to, or co-located with, to shorten the media paths?

A. MCS Client Site

B. Network Control Center (NCC)

C. Local Point-of-Presence (POP)

D. Network Signaling Center (NSC)

Answer: C

8. A customer has a Multimedia Communication Server (MCS) 5100 RIs. 4.0 system installed that is providing services to 500 IP Phone 2002 and 2004 telephones in their administration department. They have decided to provide services to their engineering department. They plan to deploy 500 Multimedia PC Clients to provide them with access to traditional telephony services, video calls, Instant Messaging (IM) and whiteboarding.

How will the new Multimedia PC Clients communicate with the MCS 5100 RIs. 4.0 system?

A. The Multimedia PC Clients will use the Session Manager to access the SIP network.

B. The Multimedia PC Clients will use the existing IP Client Manager (IPCM) to access the SIP network.

C. A Media Application Server will have to be installed to enable the Multimedia PC Clients to access the SIP network.

D. An IP Client Manager (IPCM) will have to be installed to enable the Multimedia PC Clients to access the SIP network.

Answer: A

9. A customer plans to purchase a Multimedia Communication Server (MCS) 5100 RIs. 4.0 system. One of their requirements is to provide secure Instant Messaging (IM) on their IP Phone 2002.

How is the encryption/decryption of secure IM for the IP Phone 2002 accomplished?

A. The IP Phone 2002 must be configured to perform the encryption/decryption.

B. The Session Manager performs the encryption/decryption on behalf of the IP Phones.

C. The IP Phone 2002 requires Personal Agent to be installed to perform the encryption/decryption.

D. The IP Client Manager (IPCM) performs the encryption/decryption on behalf of the IP Phone 2002.

Answer: D

10. Click the Exhibit button.

A customer has a Multimedia Communication Server (MCS) 5100 RIs. 4.0 system and is planning to implement Ad Hoc conferencing. They want to provide up to 200 conference ports and do not want to limit the number of conference-call attendees that can be supported on each conference call.

Assuming that the customer uses the G.729 CODEC with a packetization time (Ptime) of 20 milliseconds (ms), which installation recommendation should be made to satisfy their requirements?

- A. One Media Application Server (IBM x336)
- B. Two Media Application Servers (IBM x336)
- C. Four Media Application Servers (IBM x336)
- D. Three Media Application Servers (IBM x336)

Answer: B

[\*\*More 920-328 Information\*\*](#)

**Related 920-328 Exams**

<a href="#"><u>922-109</u></a>	<i>Communications Server 1000 RIs.6.0 BARS/NARS</i>
<a href="#"><u>922-101</u></a>	<i>Communication Server 1000 Linux Platform Architecture</i>
<a href="#"><u>922-111</u></a>	<i>Communication Server 1000 to RIs.6.0 Upgrades for Technicia</i>
<a href="#"><u>922-081</u></a>	<i>CallPilot RIs.5.0 Networking</i>
<a href="#"><u>920-457</u></a>	<i>CallPilot RIs.4.0 Unified Messaging Exam</i>
<a href="#"><u>922-104</u></a>	<i>Communication Server 1000 RIs.6.0 Upgrades for Engineers</i>
<a href="#"><u>922-071</u></a>	<i>BCM50 RIs.3.0 &amp; BCM200/400 RIs.4.0 Config &amp; Maintenance</i>
<a href="#"><u>920-110</u></a>	<i>NNCSS SL-100 Maintenance Certification Exam</i>
<a href="#"><u>922-098</u></a>	<i>Communication Server 1000 RIs.5.0 Troubleshooting</i>
<a href="#"><u>920-805</u></a>	<i>Nortel Data Networking Technology</i>
<a href="#"><u>920-806</u></a>	<i>Nortel Advanced Data Networking Technology</i>
<a href="#"><u>920-220</u></a>	<i>Nortel Converged Campus ERS Solution</i>
<a href="#"><u>920-502</u></a>	<i>nncss-optera metro 3000</i>
<a href="#"><u>920-569</u></a>	<i>nncds-optera metro solutions</i>
<a href="#"><u>920-246</u></a>	<i>Nortel WLAN 2300 RIs.5.0 Implementation &amp; Management</i>
<a href="#"><u>920-520</u></a>	<i>Nortel Agile Communication Environment (ACE) RIs. 1.x Design &amp; Engineering</i>
<a href="#"><u>922-099</u></a>	<i>Communication Server 1000 RIs.5.0 Linux Platform Base &amp; App</i>
<a href="#"><u>922-094</u></a>	<i>Communication Server 1000 RIs.5.0 Dialing Plan Design &amp; IP</i>
<a href="#"><u>920-197</u></a>	<i>BCM50 RIs.2.0 &amp; BCM200/400 RIs.4.0 Config &amp; Maintenance</i>
<a href="#"><u>920-199</u></a>	<i>BCM50 RIs. 2.0 &amp; BCM200/400 RIs. 4.0 ICM</i>

**Other Nortel Exams**

<a href="#"><u>920-271</u></a>	<a href="#"><u>920-020</u></a>	<a href="#"><u>922-079</u></a>	<a href="#"><u>920-804</u></a>	<a href="#"><u>920-322</u></a>	<a href="#"><u>920-158</u></a>	<a href="#"><u>920-110</u></a>	<a href="#"><u>920-363</u></a>
<a href="#"><u>920-537</u></a>	<a href="#"><u>920-136</u></a>	<a href="#"><u>920-471</u></a>	<a href="#"><u>920-237</u></a>	<a href="#"><u>920-235</u></a>	<a href="#"><u>922-040</u></a>	<a href="#"><u>920-324</u></a>	<a href="#"><u>920-256</u></a>
<a href="#"><u>922-055</u></a>	<a href="#"><u>920-450</u></a>	<a href="#"><u>920-530</u></a>	<a href="#"><u>922-061</u></a>				